

Title (en)

METHOD AND DEVICE FOR STARTING A ONCE-THROUGH STEAM GENERATOR

Title (de)

VERFAHREN UND VORRICHTUNG ZUM ANFAHREN EINES DURCHLAUFDAMPFERZEUGERS

Title (fr)

PROCEDE ET DISPOSITIF POUR LA MISE EN MARCHÉ D'UN GENERATEUR DE VAPEUR A CIRCULATION OUVERTE

Publication

**EP 0808440 B1 19990818 (DE)**

Application

**EP 96900860 A 19960129**

Priority

- DE 9600115 W 19960129
- DE 19504308 A 19950209

Abstract (en)

[origin: DE19504308C1] The invention concerns a method of starting a continuous steam generator (1) comprising a combustion chamber (6) which comprises a plurality of burners (5) for a fossil fuel (B) and whose gastight outer wall (2) is formed from at least approximately vertically disposed evaporator tubes (4) through which the medium flows in an upward direction. In order to reduce losses on starting, the evaporator throughput (VD) is set in proportion to the firing heating capacity (FW) in the combustion chamber (6). To this end, a control arrangement (58) with a control module (54) is used for adjusting the amount of medium (S) fed to the evaporator (4) per unit of time as a function of the amount of fuel fed to the or each burner (5) per unit of time.

IPC 1-7

**F22B 35/14**; **F22B 35/10**; **F22D 5/24**

IPC 8 full level

**F22B 35/10** (2006.01); **F22B 35/14** (2006.01); **F22D 5/24** (2006.01)

CPC (source: EP KR US)

**F22B 35/14** (2013.01 - EP KR US)

Designated contracting state (EPC)

CH DE FR GB LI SE

DOCDB simple family (publication)

**DE 19504308 C1 19960808**; CA 2212517 A1 19960815; CA 2212517 C 20010410; CN 1119554 C 20030827; CN 1168172 A 19971217; DE 59602799 D1 19990923; EP 0808440 A1 19971126; EP 0808440 B1 19990818; IN 186814 B 20011117; JP 3836139 B2 20061018; JP H10513543 A 19981222; KR 100427125 B1 20040802; KR 19980702020 A 19980715; US 5839396 A 19981124; WO 9624803 A1 19960815

DOCDB simple family (application)

**DE 19504308 A 19950209**; CA 2212517 A 19960129; CN 96191500 A 19960129; DE 59602799 T 19960129; DE 9600115 W 19960129; EP 96900860 A 19960129; IN 148CA1996 A 19960130; JP 52388596 A 19960129; KR 19970705415 A 19970807; US 90921797 A 19970811