

Title (en)
SEAL AND PROCESS FOR PRODUCING SUCH SEAL

Title (de)
DICHTUNG UND IHR HERSTELLUNGSVERFAHREN

Title (fr)
JOINT D'ETANCHEITE ET SON PROCEDE DE REALISATION

Publication
EP 0811113 B1 19980805 (FR)

Application
EP 96905897 A 19960301

Priority
• DE 19506852 A 19950301
• FR 9600326 W 19960301
• FR 9503637 A 19950328

Abstract (en)
[origin: WO9627073A1] The invention relates to a seal between a side face of a first part (11) and an application face (10), the seal being made of a compressible profiled lining (1) and being comprised of an internal portion (2) sealingly fixed to the first part (11) and an external portion (3) bearing on the application face (10). According to the invention, in its original condition prior to setting the seal on the first part (11), the external portion (3) of the liner (1) is provided with at least one profile tongue (4) housed inside at least one longitudinal groove (5) provided in said external portion (3) and opening on the side of the application face (10), said tongue (4) being fixed to the internal face (50) of said groove (5) in an easily detachable way so as to be able to suppress and eventually replace the tongue (4) at least on a portion of the length of the liner (1) in order to vary the compressibility degree of the liner on the corresponding length. The invention applies particularly to seals between the side faces of prefabricated concrete voussoirs for the construction of tunnels.

IPC 1-7
E21D 11/38

IPC 8 full level
E04B 1/684 (2006.01); **E21D 11/38** (2006.01)

CPC (source: EP US)
E21D 11/385 (2013.01 - EP US)

Cited by
WO2007019812A1

Designated contracting state (EPC)
AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)
WO 9627073 A1 19960906; AT E169372 T1 19980815; AU 4947496 A 19960918; AU 714619 B2 20000106; DE 69600492 D1 19980910; DE 69600492 T2 19990429; EP 0811113 A1 19971210; EP 0811113 B1 19980805; ES 2122802 T3 19981216; JP 3251295 B2 20020128; JP H11501091 A 19990126; US 6129485 A 20001010

DOCDB simple family (application)
FR 9600326 W 19960301; AT 96905897 T 19960301; AU 4947496 A 19960301; DE 69600492 T 19960301; EP 96905897 A 19960301; ES 96905897 T 19960301; JP 52607096 A 19960301; US 91366998 A 19980220