

Title (en)

Contour reading device for a spectacles rim, sensor for the same, and application to the edging of the lens to be mounted

Title (de)

Konturlesevorrichtung für Brillenrahmen, entsprechender Sensor, und Anwendung dieser Vorrichtung an der Randbearbeitung von einzusetzenden Linsen

Title (fr)

Procédé pour le relevé de la section du drageoir d'une monture de lunettes, palpeur correspondant, et application de ce procédé au débordage du verre à monter

Publication

EP 0819967 B1 20030409 (FR)

Application

EP 97401575 A 19970703

Priority

FR 9609016 A 19960718

Abstract (en)

[origin: EP0819967A1] The method involves measuring the shape of the inner surface (10) of a spectacle lens rim (11). This is to produce the correct shape for the lens edge to fit it makes use of a mobile feeler (12) with its positions recorded in a co-ordinate system. The feeler head (15) is used to scan the inner surface of the lens rim between two or more points on at least one side of the rim recess. The lens rim recess has a dihedral cross-section the feeler head is used to scan sufficient points on its surface to allow its shape to be reproduced from the co-ordinates obtained. The feeler used for the procedure can be a contact feeler with interchangeable heads, e.g. spherical in shape.

IPC 1-7

G02C 13/00; **B24B 9/14**

IPC 8 full level

G01B 11/24 (2006.01); **B24B 9/14** (2006.01); **G02C 13/00** (2006.01)

CPC (source: EP US)

B24B 9/144 (2013.01 - EP US)

Cited by

FR2907041A1; FR2893523A1; DE19919311C1; FR2893723A1; EP1353215A3; FR2910136A1; FR2777817A1; US8133095B2; WO2008046975A1; WO2008142291A3; WO2007060315A1; WO2016012720A1; US10960511B2; US8132909B2; US8215772B2; US7661197B2; US6845678B2; US8205345B2; WO2008090284A2; WO2007128902A1; WO2007060304A3; WO2008090284A3; WO9955490A1

Designated contracting state (EPC)

DE ES GB IT NL

DOCDB simple family (publication)

EP 0819967 A1 19980121; **EP 0819967 B1 20030409**; DE 69720611 D1 20030515; DE 69720611 T2 20040129; ES 2196274 T3 20031216; FR 2751433 A1 19980123; FR 2751433 B1 19981009; JP H10113853 A 19980506; US 5881467 A 19990316

DOCDB simple family (application)

EP 97401575 A 19970703; DE 69720611 T 19970703; ES 97401575 T 19970703; FR 9609016 A 19960718; JP 19238397 A 19970717; US 88809597 A 19970703