

Title (en)
Bellows for intercommunication passage for rolling stock

Title (de)
Faltenbalg für Übergangseinrichtungen für Eisenbahnen

Title (fr)
Soufflet d'intercirculation pour matériel roulant

Publication
EP 0825083 B1 20010606 (FR)

Application
EP 97401595 A 19970704

Priority
FR 9608932 A 19960717

Abstract (en)
[origin: EP0825083A1] The bellows is formed with a corrugated area, forming a deformable volume, and consists of a series of modules, assembled together. Each module is constructed from a base of rubber and consists of at least two corrugated regions (2), assembled together by vulcanisation. At least one reinforcing element (1) is located internally in at least one of the thickened elements (3) of the modules. The inner edge (21) of each corrugation, which is towards the inside of the bellows, is extended by a flat region (20), which is vulcanised to the corresponding flat region of the next corrugated section of the bellows. The outer edge (22) of each corrugation is thickened to form the outer thickened element (3), which is common between two adjacent corrugations.

IPC 1-7
B61D 17/22

IPC 8 full level
B61D 17/22 (2006.01)

CPC (source: EP US)
B61D 17/22 (2013.01 - EP US); **Y10T 29/49877** (2015.01 - EP US)

Designated contracting state (EPC)
BE DE ES GB IT LU NL SE

DOCDB simple family (publication)
FR 2751291 A1 19980123; FR 2751291 B1 19981002; DE 69705093 D1 20010712; DE 69705093 T2 20020207; EP 0825083 A1 19980225; EP 0825083 B1 20010606; ES 2159092 T3 20010916; JP H1081233 A 19980331; US 5953998 A 19990921; US 6085403 A 20000711

DOCDB simple family (application)
FR 9608932 A 19960717; DE 69705093 T 19970704; EP 97401595 A 19970704; ES 97401595 T 19970704; JP 19280297 A 19970717; US 34346599 A 19990630; US 89398497 A 19970716