

Title (en)
FUEL INJECTION VALVE FOR INTERNAL COMBUSTION ENGINES

Title (de)
KRAFTSTOFFEINSPRITZVENTIL FÜR BRENNKRAFTMASCHINEN

Title (fr)
SOUPAPE D'INJECTION DE CARBURANT POUR MOTEURS A COMBUSTION INTERNE

Publication
EP 0828937 B1 20011205 (DE)

Application
EP 96945475 A 19960930

Priority
• DE 9601870 W 19960930
• DE 19608608 A 19960306

Abstract (en)
[origin: DE19608608A1] A fuel injection valve for internal combustion engines has a fuel feeding channel which opens into an injection opening and in which is mounted a rod-shaped filtering body (39) upstream of the injection opening. The filtering body (39) has at each of its front ends a collar (43, 45) with an increased diameter in relation to a medium section (41) of the filtering body (39). Two groups of longitudinal grooves closed on one side in the axial direction are worked into the outer surface of the filtering body (39). A first group (47) starts from a top front face (49) of the filtering body (39) away from the injection opening (17) and a second group (51) starts from a bottom front face (53) of the filtering body (39) towards the injection opening (17). The longitudinal grooves of the first and second groups (47, 51) alternate around the circumference of the filtering body (39). In order to reliably prevent the penetration of soil particles, the bottom collar (45) extends beyond the axial closed end of the longitudinal grooves of the first group (47).

IPC 1-7
F02M 61/16; **B01D 29/44**

IPC 8 full level
F02M 55/00 (2006.01); **B01D 29/44** (2006.01); **B01D 35/027** (2006.01); **F02M 61/16** (2006.01)

CPC (source: EP KR US)
F02M 61/16 (2013.01 - KR); **F02M 61/165** (2013.01 - EP US)

Designated contracting state (EPC)
DE FR GB IT

DOCDB simple family (publication)
DE 19608608 A1 19970911; DE 59608380 D1 20020117; EP 0828937 A1 19980318; EP 0828937 B1 20011205; JP 3737125 B2 20060118; JP H11505586 A 19990521; KR 100430173 B1 20040804; KR 19990008324 A 19990125; US 5996908 A 19991207; WO 9733085 A1 19970912

DOCDB simple family (application)
DE 19608608 A 19960306; DE 59608380 T 19960930; DE 9601870 W 19960930; EP 96945475 A 19960930; JP 53130497 A 19960930; KR 19970707850 A 19971105; US 94582797 A 19971105