

Title (en)

COLLAGEN PEPTIDE FRACTION AND ITS USES

Title (de)

KOLLAGEN PEPTID FRAKTION UND DEREN VERWENDUNG

Title (fr)

FRACTION PEPTIDIQUE DE COLLAGENE ET SES UTILISATIONS

Publication

**EP 0837882 A1 19980429 (EN)**

Application

**EP 96920798 A 19960606**

Priority

- EP 96920798 A 19960606
- EP 9602453 W 19960606
- EP 95108967 A 19950610

Abstract (en)

[origin: WO9641817A1] It was found that a collagen peptide fraction (CPF) of especially porcine collagen >70 %, especially >80 %, of which have an average molecular weight of 8-30 kDa, a hydroxyproline content of 15-19 %, a proline content of 18-22 % and a glycine content of 27-33 % which is stable at temperatures up to 150 DEG C, and shows a viscosity of 2.0 to 3.0 cSt [mm<2>/sec] at a concentration of 10 % in water and an UV absorbance at 280 nm of 0.6 to 1.8 has a surprising stabilising effect on protein and polypeptides in freeze dried form and in solution. CPF-stabilised proteins and polypeptide drugs can be used during long term infusion or for topical, nasal or transdermal application.

IPC 1-7

**C07K 14/78**; **A61K 47/42**; **G01N 33/543**

IPC 8 full level

**A61K 47/42** (2006.01); **B01J 20/281** (2006.01); **C07K 1/02** (2006.01); **C07K 14/78** (2006.01); **G01N 30/26** (2006.01); **G01N 30/88** (2006.01); **G01N 33/531** (2006.01); **G01N 33/543** (2006.01)

CPC (source: EP)

**A61K 47/42** (2013.01); **C07K 14/78** (2013.01)

Citation (search report)

See references of WO 9641817A1

Designated contracting state (EPC)

AT DE FR GB

DOCDB simple family (publication)

**WO 9641817 A1 19961227**; AU 6222896 A 19970109; EP 0837882 A1 19980429; JP H11507918 A 19990713; ZA 964825 B 19970213

DOCDB simple family (application)

**EP 9602453 W 19960606**; AU 6222896 A 19960606; EP 96920798 A 19960606; JP 50259296 A 19960606; ZA 964825 A 19960607