

Title (en)

Low-pressure mercury vapour-filled discharge lamp, luminaire and display device

Title (de)

Niederdruck-Quecksilberdampfentladungslampe, Leuchte und Anzeigevorrichtung

Title (fr)

Lampe à décharge à basse pression de vapeur de mercure, luminaire et dispositif d'affichage

Publication

EP 0840353 A3 19980617 (EN)

Application

EP 97308738 A 19971031

Priority

- JP 29092396 A 19961031
- JP 29257596 A 19961105
- JP 29294296 A 19961105
- JP 32060296 A 19961129
- JP 32965396 A 19961210
- JP 19142597 A 19970716
- JP 1953897 A 19970131
- JP 8048997 A 19970331
- JP 9738697 A 19970415
- JP 11281397 A 19970430
- JP 23514797 A 19970829

Abstract (en)

[origin: EP0840353A2] A low-pressure mercury vapour-filled discharge lamp has a glass arc tube and a glass outer tube disposed coaxially with the arc tube forming a space therebetween. A gas is disposed in the space. The arc tube contains a gas and is coated with a phosphor. A first seal hermetically seals the inner tube. A second seal seals the inner tube to the outer tube. The inner tube further contains a pair of cathodes coupled to Dumet wires extending from the interior of the inner tube to the outside of the lamp structure. The pressure in the space is set at not more than 1 Pa, which is nearly high vacuum. The longer the radial dimension of the space the greater the heat retaining capacity and the better the temperature characteristics which can be obtained. However, by setting the pressure of the space at 1 Pa or less, the optimum heat retaining capacity can be obtained while reducing the diameter of the low-pressure mercury vapour filled discharge lamp 1. <IMAGE>

IPC 1-7

H01J 61/52; **H01J 61/34**; **H01J 61/72**

IPC 8 full level

H01J 61/20 (2006.01); **H01J 61/34** (2006.01); **H01J 61/72** (2006.01)

CPC (source: EP US)

H01J 61/20 (2013.01 - EP US); **H01J 61/34** (2013.01 - EP US); **H01J 61/72** (2013.01 - EP US)

Citation (search report)

- [A] US 4004171 A 19770118 - HEUVELMANS JEAN JOHAN, et al
- [A] EP 0276888 A2 19880803 - PHILIPS PATENTVERWALTUNG [DE], et al
- [A] DE 4012588 A1 19911024 - NORKA NORDDEUTSCHE KUNSTSTOFF [DE]
- [PXA] PATENT ABSTRACTS OF JAPAN vol. 097, no. 008 29 August 1997 (1997-08-29)
- [XA] PATENT ABSTRACTS OF JAPAN vol. 013, no. 444 (E - 828) 5 October 1989 (1989-10-05)
- [A] PATENT ABSTRACTS OF JAPAN vol. 017, no. 698 (E - 1481) 20 December 1993 (1993-12-20)
- [A] PATENT ABSTRACTS OF JAPAN vol. 008, no. 176 (E - 260) 14 August 1984 (1984-08-14)

Cited by

FR2882489A1; EP1298695A3; EP1112752A3; US6201352B1; US6515433B1; EP1298695A2; WO2006090086A3; US7474044B2; US7919915B2

Designated contracting state (EPC)

AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

EP 0840353 A2 19980506; **EP 0840353 A3 19980617**; CN 1089541 C 20020821; CN 1184400 A 19980610; US 6057635 A 20000502

DOCDB simple family (application)

EP 97308738 A 19971031; CN 97121283 A 19971031; US 96053497 A 19971031