

Title (en)

DEVICE FOR CONNECTING AT LEAST TWO SHEATHED CONDUCTIVE WIRES

Title (de)

VERBUNDUNGSVORRICHTUNG FÜR MINDESTENS ZWEI UMMANTELDEN LEITENDEN DRÄHTE

Title (fr)

DISPOSITIF DE CONNEXION D'AU MOINS DEUX FILS CONDUCTEURS GAINES

Publication

**EP 0852824 A1 19980715 (FR)**

Application

**EP 96932654 A 19960926**

Priority

- FR 9601501 W 19960926
- FR 9511455 A 19950929

Abstract (en)

[origin: WO9713293A1] A device including a housing with an opening for inserting an end portion of each sheathed wire, a blade for receiving said end portions in the housing, and a clip (12) designed to be inserted transversely into the housing relative to the sheaths, and provided with at least two slots (13) for gripping the wire sheaths and drawing them to the back of the housing so that the clip and the blade together strip the wires. Spacing means (52, 53) are also provided between the blade and the gripping and drawing clip (12) for maintaining a spacing therebetween that is greater than a cutting threshold.

IPC 1-7

**H01R 4/24**

IPC 8 full level

**H01R 4/24** (2006.01)

CPC (source: EP US)

**H01R 4/2491** (2013.01 - EP US)

Citation (search report)

See references of WO 9713293A1

Designated contracting state (EPC)

DE GB IT

DOCDB simple family (publication)

**WO 9713293 A1 19970410**; AU 7135496 A 19970428; AU 723780 B2 20000907; BR 9610798 A 19990713; CA 2233914 A1 19970410; CA 2233914 C 20030211; CN 1097321 C 20021225; CN 1198260 A 19981104; DE 69602612 D1 19990701; DE 69602612 T2 20000224; EA 000587 B1 19991229; EA 199800344 A1 19981029; EP 0852824 A1 19980715; EP 0852824 B1 19990526; FR 2739499 A1 19970404; FR 2739499 B1 19971212; MX 9802458 A 19981130; PL 182917 B1 20020430; PL 325957 A1 19980817; US 6261117 B1 20010717

DOCDB simple family (application)

**FR 9601501 W 19960926**; AU 7135496 A 19960926; BR 9610798 A 19960926; CA 2233914 A 19960926; CN 96197313 A 19960926; DE 69602612 T 19960926; EA 199800344 A 19960926; EP 96932654 A 19960926; FR 9511455 A 19950929; MX 9802458 A 19980327; PL 32595796 A 19960926; US 5114498 A 19980924