

Title (en)

SOURCE OF WAVEFORM DISTORTION DISCRIMINATION CIRCUIT AND METHOD

Title (de)

SCHALTKREIS UND VERFAHREN ZUR ERFASSUNG EINER WELLENFORM-STÖRUNGSQUELLE

Title (fr)

CIRCUIT ET PROCEDE DE DISCRIMINATION DE LA SOURCE DE DISTORSION DE FORMES D'ONDE

Publication

EP 0858604 A1 19980819 (EN)

Application

EP 96939505 A 19961030

Priority

- US 9617278 W 19961030
- US 55138995 A 19951101

Abstract (en)

[origin: WO9716739A1] A circuit to discriminate the source of harmonic distortion of the output voltage comprises voltage sensors (28, 30) coupled to the output terminals of a source of electric power (16) and to a point of regulation (24) remote from the source for sensing the output voltage waveform present at each of these locations; means (32, 34) coupled to the voltage sensors (28, 30) for calculating the percentage total harmonic content of each of the sensed waveforms, and means (36) for comparing them to determine the source of distortion; means (42) coupled to the voltage sensors (28, 30) for calculating the actual voltage difference between the two sensed voltages, and means (46) for sensing the current flowing in the feeders (18a-c) which is compared with a profile of the normal voltage drop versus connected load (48) to generate an expected voltage drop; and a protection logic circuitry (40).

IPC 1-7

G01R 23/20; **G01R 21/06**

IPC 8 full level

G01R 23/20 (2006.01); **G01R 31/40** (2006.01); **H02H 3/52** (2006.01)

CPC (source: EP US)

G01R 23/20 (2013.01 - EP US); **G01R 31/40** (2013.01 - EP US)

Designated contracting state (EPC)

FR GB

DOCDB simple family (publication)

WO 9716739 A1 19970509; CA 2236706 A1 19970509; EP 0858604 A1 19980819; EP 0858604 A4 19991020; JP H11514834 A 19991214; US 5789928 A 19980804

DOCDB simple family (application)

US 9617278 W 19961030; CA 2236706 A 19961030; EP 96939505 A 19961030; JP 51746497 A 19961030; US 55138995 A 19951101