

Title (en)

Weft thread preparation device particularly for feeding threads made of metal, nylon and the like to weaving looms

Title (de)

Schussfadenspeichervorrichtung, insbesondere zum Zuführen von Fäden aus Metall, Nylon und dergleichen in Webmaschinen

Title (fr)

Dispositif de préparation de la trame destiné en particulier à fournir des fils métalliques, de nylon ou similaires à des métiers à tisser

Publication

EP 0863236 A1 19980909 (EN)

Application

EP 98102124 A 19980206

Priority

IT MI970283 A 19970212

Abstract (en)

A weft thread preparation device for feeding threads made of metal, nylon and the like to a weaving loom, comprising a rotating drum (1) provided with a plurality of threaded pivots (9) which are arranged circumferentially and can rotate about their own axes as a consequence of the rotation of the drum (1); the rotation of the drum (1), together with the rotation of the threaded pivots (9), being suitable to produce the rotation of a spool (15) of thread in order to unwind the thread (16) from the spool (15) and move the thread (16) along the threaded pivots (9) for subsequently feeding the thread (16) to a weaving loom. <IMAGE>

IPC 1-7

D03D 47/34; **B65H 51/22**

IPC 8 full level

B65H 51/22 (2006.01); **D03D 47/34** (2006.01)

CPC (source: EP)

B65H 51/22 (2013.01); **D03D 47/34** (2013.01); **D03D 47/345** (2013.01); **B65H 2701/31** (2013.01)

Citation (search report)

- [X] US 2605536 A 19520805 - LITZLER CYRIL A
- [A] US 2609587 A 19520909 - ASDOUR KULJIAN HARRY
- [A] US 4026484 A 19770531 - NAEGELI WERNER
- [A] US 3774384 A 19731127 - RICHTER H
- [A] DE 3038642 A1 19810813 - VYSOKA SKOLA STROJNI TEXTILNI [CS]

Cited by

US6820833B1; WO0117886A1

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

EP 0863236 A1 19980909; **EP 0863236 B1 20030507**; DE 69814215 D1 20030612; DE 69814215 T2 20040318; IT 1290300 B1 19981022; IT MI970283 A1 19980812

DOCDB simple family (application)

EP 98102124 A 19980206; DE 69814215 T 19980206; IT MI970283 A 19970212