

Title (en)

Method of manufacturing screen of color picture tube

Title (de)

Verfahren zur Herstellung eines Phosphorschirm für Farbbildröhren

Title (fr)

Procédé de fabrication d'un écran fluorescent pour tube image couleur

Publication

EP 0865066 B1 20021218 (EN)

Application

EP 98104308 A 19980310

Priority

- JP 5669297 A 19970311
- JP 5204998 A 19980304

Abstract (en)

[origin: EP0865066A2] In manufacturing a phosphor screen of a color picture tube, a cured resist layer used in a photolithography process for a black matrix pattern may remain on a hole portion of the black matrix pattern formed on the inner surface of a glass panel without being removed completely in the washing process. In such a case, the pigment of a first optical filter layer remains adhered to the surface of the remained resist layer. This adhered pigment degrades substantially the brightness of luminescent colors of two other phosphors. Therefore, among the three color optical filter layers, the green optical filter layer, which has the minimum difference between a peak transmittance and a transmittance in other wavelength regions, is formed first. Accordingly, a level of an adverse effect of the remained green pigment on the emission of the blue and red phosphors can be suppressed to minimum.

IPC 1-7

H01J 9/227; H01J 29/18

IPC 8 full level

H01J 9/227 (2006.01); **H01J 29/18** (2006.01); **H01J 29/32** (2006.01)

CPC (source: EP)

H01J 9/2271 (2013.01); **H01J 29/185** (2013.01); **H01J 29/327** (2013.01)

Designated contracting state (EPC)

DE FR GB

DOCDB simple family (publication)

EP 0865066 A2 19980916; EP 0865066 A3 19990414; EP 0865066 B1 20021218; DE 69810177 D1 20030130; DE 69810177 T2 20030605; JP H10312746 A 19981124; MY 121753 A 20060228

DOCDB simple family (application)

EP 98104308 A 19980310; DE 69810177 T 19980310; JP 5204998 A 19980304; MY PI9801037 A 19980310