

Title (en)

Process and apparatus for tempering at least one directed fluid flow

Title (de)

Verfahren und Vorrichtung zur Temperierung zumindest eines gerichteten Fluidstroms

Title (fr)

Procédé et dispositif pour tempérer au moins un écoulement fluide dirigé

Publication

EP 0865599 B1 20031126 (DE)

Application

EP 96943043 A 19961205

Priority

- DE 19545209 A 19951205
- EP 9605447 W 19961205

Abstract (en)

[origin: WO9721063A1] The invention concerns a heat exchanger of the type in question with at least one suitably tempered surface moving substantially tangentially to itself or with at least one suitably tempered surface region moving substantially tangentially to itself, in order to prepare a heat exchanger for tempering at least one directed fluid flow (1, 7; 2, 6) or to prepare a corresponding tempering process in which the flow resistance of the heat exchanger per se is as low as possible, in spite of the surface coming into contact with the directed fluid flow (1, 7; 2, 6) being comparatively large, the fluid flow having in the vicinity of the surface or the surface region a movement component acting in the same direction as the direction of movement of the surface or surface region. The invention further concerns a process whereby the fluid flow is guided in the immediate vicinity of at least one suitably tempered surface or surface region moving substantially tangentially to itself, the direction of movement of which surface or surface region has a movement component acting in the same direction as the fluid flow.

IPC 1-7

F28D 19/04

IPC 8 full level

F28D 19/04 (2006.01)

CPC (source: EP)

F28D 19/045 (2013.01)

Designated contracting state (EPC)

AT BE CH DE DK ES FI FR GB GR IE IT LI NL PT SE

DOCDB simple family (publication)

WO 9721063 A1 19970612; AT E255217 T1 20031215; AU 1191197 A 19970627; BR 9611581 A 19991228; CN 1203658 A 19981230; DE 19545209 A1 19970612; DE 19681056 D2 19990715; DE 59610837 D1 20040108; EP 0865599 A1 19980923; EP 0865599 B1 20031126; JP 2000501495 A 20000208

DOCDB simple family (application)

EP 9605447 W 19961205; AT 96943043 T 19961205; AU 1191197 A 19961205; BR 9611581 A 19961205; CN 96198860 A 19961205; DE 19545209 A 19951205; DE 19681056 T 19961205; DE 59610837 T 19961205; EP 96943043 A 19961205; JP 52099297 A 19961205