

Title (en)

DEVICE WITH A DUAL SAFETY MECHANISM FOR DISPENSING A FLUID MATERIAL

Title (de)

FLÜSSIGKEITS-AUSGABEVORRICHTUNG MIT DOPPELTER SICHERHEIT

Title (fr)

DISPOSITIF DE DISTRIBUTION DE PRODUIT FLUIDE POURVU D'UNE DOUBLE SECURITE

Publication

**EP 0874767 A1 19981104 (FR)**

Application

**EP 97900251 A 19970108**

Priority

- FR 9700034 W 19970108
- FR 9600412 A 19960116

Abstract (en)

[origin: WO9726203A1] A fluid material dispenser including a container (1), a dispensing member (2) and an actuating member (10) for dispensing the fluid material, said actuating member (10) being movable between an inoperative position and an actuating position, and comprising a body portion (11) and a material discharge portion (12) that is movable relative to said body portion between a locking position in which it prevents movement of the actuating member, and an operative position in which it enables the actuating member (10) to be moved. Said material discharge portion comprises a tab (14) that is engageable, in the locking position, with an element secured to the container via a slot (15) in said body portion. The slot (15) includes at least one bridge of material (16) designed to be broken when said material discharge portion (12) is moved for the first time from the locking position to the operative position.

IPC 1-7

**B65D 83/14; B05B 11/00**

IPC 8 full level

**B05B 11/00 (2006.01); B65D 47/34 (2006.01); B65D 83/14 (2006.01)**

CPC (source: EP US)

**B05B 11/0091 (2013.01 - EP US); B05B 11/1059 (2023.01 - EP US); B65D 83/22 (2013.01 - EP US); B65D 83/303 (2013.01 - EP US); B65D 83/757 (2013.01 - EP US)**

Citation (search report)

See references of WO 9726203A1

Cited by

CN111741703A

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

**WO 9726203 A1 19970724; DE 69700430 D1 19990923; DE 69700430 T2 20000504; EP 0874767 A1 19981104; EP 0874767 B1 19990818; FR 2743544 A1 19970718; FR 2743544 B1 19980220; JP 2000503284 A 20000321; US 6105826 A 20000822**

DOCDB simple family (application)

**FR 9700034 W 19970108; DE 69700430 T 19970108; EP 97900251 A 19970108; FR 9600412 A 19960116; JP 52572797 A 19970108; US 10163598 A 19981210**