

Title (en)

Automatic reinforcing rod and/or wire head and tail bending unit for bending machines and/or arc-welded steelmesh forming machines

Title (de)

Automatische Stab- und/oder Draht vorder- und hinterendenebiegeeinheit für Biegevorrichtungen und/oder lichtbogengeschweisste Baustahlnetzenvorrichtungen

Title (fr)

Unité de pliage automatique pour machines à plier les extrémités avants et arrières de barres et/ou fils pour béton armé et/ou machines de formage de treillis d'acier soudés par arc

Publication

**EP 0875308 A2 19981104 (EN)**

Application

**EP 98104410 A 19980311**

Priority

IT UD970058 A 19970401

Abstract (en)

The present invention relates to an automatic bending unit suitable for bending the heads and tails of reinforcing rods and/or wires of homogeneous and non-homogeneous cross section for automatic bending machines and/or automatic machines for forming arc-welded steel mesh before the mesh arc-welding unit. It includes a rocking-lever device (10) and/or other devices serving as bending templates positioned according to the type of bends to make, head or tail, driven by an appropriate oscillating hydraulic cylinder (5) and/or cam and/or other equivalent device, positioned and controlled in coordination with another cylinder (15) with a counteracting function (16) that presses the reinforcing rod (1) and/or wire to be bent in the fulcrum position. <IMAGE>

IPC 1-7

**B21D 11/12**

IPC 8 full level

**B21D 7/06** (2006.01); **B21D 11/12** (2006.01); **B21F 27/14** (2006.01)

CPC (source: EP)

**B21D 7/06** (2013.01); **B21D 11/12** (2013.01); **B21F 27/14** (2013.01)

Cited by

EP3715007A1; IT201900004707A1; CN111589916A; CN109550868A; CN112828207A; CN114850264A; US9956602B2; WO2014049559A1

Designated contracting state (EPC)

AT BE DE FR NL

DOCDB simple family (publication)

**EP 0875308 A2 19981104**; **EP 0875308 A3 20020116**; IT 1290741 B1 19981210; IT UD970058 A0 19970401; IT UD970058 A1 19981001

DOCDB simple family (application)

**EP 98104410 A 19980311**; IT UD970058 A 19970401