

Title (en)  
MAGNET

Title (de)  
MAGNET

Title (fr)  
AIMANT

Publication  
**EP 0876668 A1 19981111 (EN)**

Application  
**EP 96937082 A 19961101**

Priority  
• US 9617398 W 19961101  
• US 620295 P 19951103

Abstract (en)  
[origin: WO9716835A1] A combination for rotating, translocating, or holding a magnetic bead (100) comprising a cell (102A) and a magnet (200) having a pointed end at the north or south pole. Also shown is a magnet comprising two or more magnet slices bonded to each other with alternating orientations of the north and south poles, wherein the junctions between the magnet slices define a surface, whereby local maxima of the magnetic field gradient  $dH/dx$  are found at the junctions. Also shown is a method for rotating, translocating, or holding a magnetic bead using the magnets shown.

IPC 1-7  
**H01F 7/02**; H01F 3/00; B03C 1/035

IPC 8 full level  
**B03C 1/035** (2006.01); **H01F 7/02** (2006.01)

CPC (source: EP KR)  
**B03C 1/0332** (2013.01 - EP); **B03C 1/035** (2013.01 - EP); **B03C 1/288** (2013.01 - EP); **H01F 7/02** (2013.01 - KR); **H01F 7/0278** (2013.01 - EP); **B01J 2219/00468** (2013.01 - EP); **B03C 2201/18** (2013.01 - EP); **B03C 2201/22** (2013.01 - EP); **B03C 2201/26** (2013.01 - EP)

Designated contracting state (EPC)  
DE FR GB IT NL

DOCDB simple family (publication)  
**WO 9716835 A1 19970509**; AU 7483596 A 19970522; EP 0876668 A1 19981111; EP 0876668 A4 19981118; JP 2000512434 A 20000919; KR 19990067263 A 19990816

DOCDB simple family (application)  
**US 9617398 W 19961101**; AU 7483596 A 19961101; EP 96937082 A 19961101; JP 51750997 A 19961101; KR 19980703228 A 19980501