

Title (en)
MAGNET

Title (de)
MAGNET

Title (fr)
AIMANT

Publication
EP 0876668 A1 19981111 (EN)

Application
EP 96937082 A 19961101

Priority
• US 9617398 W 19961101
• US 620295 P 19951103

Abstract (en)
[origin: WO9716835A1] A combination for rotating, translocating, or holding a magnetic bead (100) comprising a cell (102A) and a magnet (200) having a pointed end at the north or south pole. Also shown is a magnet comprising two or more magnet slices bonded to each other with alternating orientations of the north and south poles, wherein the junctions between the magnet slices define a surface, whereby local maxima of the magnetic field gradient dH/dx are found at the junctions. Also shown is a method for rotating, translocating, or holding a magnetic bead using the magnets shown.

IPC 1-7
H01F 7/02; H01F 3/00; B03C 1/035

IPC 8 full level
B03C 1/035 (2006.01); **H01F 7/02** (2006.01)

CPC (source: EP KR)
B03C 1/0332 (2013.01 - EP); **B03C 1/035** (2013.01 - EP); **B03C 1/288** (2013.01 - EP); **H01F 7/02** (2013.01 - KR); **H01F 7/0278** (2013.01 - EP); **B01J 2219/00468** (2013.01 - EP); **B03C 2201/18** (2013.01 - EP); **B03C 2201/22** (2013.01 - EP); **B03C 2201/26** (2013.01 - EP)

Designated contracting state (EPC)
DE FR GB IT NL

DOCDB simple family (publication)
WO 9716835 A1 19970509; AU 7483596 A 19970522; EP 0876668 A1 19981111; EP 0876668 A4 19981118; JP 2000512434 A 20000919; KR 19990067263 A 19990816

DOCDB simple family (application)
US 9617398 W 19961101; AU 7483596 A 19961101; EP 96937082 A 19961101; JP 51750997 A 19961101; KR 19980703228 A 19980501