

Title (en)
Water cooled cylinder block

Title (de)
Flüssigkeitsgekühltes Zylinderkurbelgehäuse

Title (fr)
Bloc cylindres refroidi par eau

Publication
EP 0878618 A3 19990526 (DE)

Application
EP 98107816 A 19980429

Priority
DE 19720380 A 19970515

Abstract (en)
[origin: DE19720380C1] The housing (1) has outer walls (2), which form a top flange face for a cylinder head, and a cooling-water jacket (4), which is open to the flange face. A water-inlet union (7) is connected to the jacket. The cylinders (6) are spaced from the outer walls. A body (8) inserted in the jacket encloses the cylinders or a block (5) containing them. The inside surface (9) of the body is clear of the outer surfaces (10) of the cylinders or of the block. The intervening gap (11) is connected to the inlet union. The shape of the body can match that of the jacket, or a spoiler can be formed on it. The spoiler protrudes towards the union to divide the incoming water into two currents passing through holes in the body on either side of it. The currents are directed along the cylinders at opposite sides of the housing.

IPC 1-7
F02F 1/10

IPC 8 full level
F02F 1/10 (2006.01); **F02F 7/00** (2006.01); **F02B 75/18** (2006.01)

CPC (source: EP US)
F02F 1/10 (2013.01 - EP US); **F02F 1/108** (2013.01 - EP US); **F02F 7/0007** (2013.01 - EP US); **F02B 2075/1816** (2013.01 - EP US); **F02F 2001/104** (2013.01 - EP US)

Citation (search report)

- [X] DE 3623742 A1 19880128 - OPEL ADAM AG [DE]
- [A] DE 3632159 A1 19880331 - KLOECKNER HUMBOLDT DEUTZ AG [DE]
- [A] EP 0261506 A2 19880330 - KLOECKNER HUMBOLDT DEUTZ AG [DE]
- [A] PATENT ABSTRACTS OF JAPAN vol. 006, no. 260 (M - 180) 18 December 1982 (1982-12-18)

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)
DE 19720380 C1 19980709; EP 0878618 A2 19981118; EP 0878618 A3 19990526; EP 0878618 B1 20020925; US 5988120 A 19991123

DOCDB simple family (application)
DE 19720380 A 19970515; EP 98107816 A 19980429; US 7923598 A 19980515