

Title (en)
Turner bar tower configuration

Title (de)
Wendeturmanordnung

Title (fr)
Configuration en forme de tour de barres de retournement

Publication
EP 0888887 B1 20021211 (DE)

Application
EP 98810587 A 19980625

Priority
DE 19728207 A 19970702

Abstract (en)
[origin: EP0888887A2] The turning bars (21,22) are superimposed on several planes (E1-E12) for guiding the printed webs over each other. A first turning tower (11) and at least one second turning tower (12) are positioned directly behind each other in a printing web running into the two towers. At least one guide element (15-18) on the side of the second tower facing away from the first tower in the input direction of the web is used as a bay-window arrangement for the first turning tower. Cutters (16,17) are positioned on the sides of the towers facing away from each other for cutting the web lengthways. A third tower is included between the first and second towers.

IPC 1-7
B41F 13/06

IPC 8 full level
B41F 13/06 (2006.01)

CPC (source: EP US)
B41F 13/06 (2013.01 - EP US)

Cited by
EP3183119A4; DE102004043071B3; DE10311636A1; DE10311636B4; DE102007002794A1; DE102004060725A1; EP1457325A1; US8001891B2; EP1632348A2; WO2007071459A1; WO2004024448A1; US7159514B2; EP1528982B1

Designated contracting state (EPC)
CH DE ES FI FR GB IT LI

DOCDB simple family (publication)
EP 0888887 A2 19990107; EP 0888887 A3 19990512; EP 0888887 B1 20021211; DE 19728207 A1 19990107; DE 59806593 D1 20030123; ES 2187915 T3 20030616; US 6082259 A 20000704

DOCDB simple family (application)
EP 98810587 A 19980625; DE 19728207 A 19970702; DE 59806593 T 19980625; ES 98810587 T 19980625; US 10867198 A 19980701