

Publication

**EP 0898056 A3 19990324**

Application

**EP 98115062 A 19980811**

Priority

DE 19736321 A 19970821

Abstract (en)

[origin: EP0898056A2] The seal consists of an shell-shaped holding part (5) holding the elastomer sealing lip (1), held under radial spring pressure against one of the machine parts. It projects axially above the sealing lip and serves to fix the seal to the second part (3). In its projecting sector (6), the holding part has at least one inward-angled projection (8) which engages in a recess (9) in the surface of the second part.

IPC 1-7

**F01L 3/08**

IPC 8 full level

**F01L 3/08** (2006.01)

CPC (source: EP US)

**F01L 3/08** (2013.01 - EP US); **Y10S 277/909** (2013.01 - EP US)

Citation (search report)

- [XA] US 4909202 A 19900320 - BINFORD J DUDLEY [US], et al
- [XA] US 4773363 A 19880927 - STRITZKE BERNARD G [US]
- [XA] GB 1078586 A 19670809 - DANA CORP
- [A] GB 1170405 A 19691112 - GEN MOTORS CORP [US]

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

**EP 0898056 A2 19990224; EP 0898056 A3 19990324; EP 0898056 B1 20021127;** DE 19736321 A1 19990311; DE 59806411 D1 20030109;  
US 6227548 B1 20010508

DOCDB simple family (application)

**EP 98115062 A 19980811;** DE 19736321 A 19970821; DE 59806411 T 19980811; US 13731298 A 19980821