

Title (en)
DOOR LOCK

Title (de)
TÜRSCHLOSS

Title (fr)
SERRURE DE PORTE

Publication
EP 0898633 A1 19990303 (DE)

Application
EP 97921851 A 19970503

Priority

- DE 29521041 U 19951110
- DE 19621619 A 19960530
- EP 9702266 W 19970503

Abstract (en)
[origin: WO9744558A1] The invention relates to a door (1) with a dead bolt (3) fitted in a housing (2), which can be moved into an open and a closed position by means of an actuator connected to a hub (4) or cylinder. The person operating the lock is clearly informed of the change between the open and closed positions, which are firmly held by the facts that the hub (4) or a bearing section (4') in the housing has at least two flat bearing surfaces (4a, 4b) perpendicular to the housing base, where one bearing surface (4a) is parallel to a narrow side wall (2.1) of the housing (2) in the open position and the other (4b) in the closed position, and that the bearing surfaces (4a, 4b) in the open and closed positions bear in turn on a counter-bearing surface (6.2) of a tumbler (6) spring-loaded against the inside of the narrow side wall (2.1).

IPC 1-7
E05B 65/44; E05B 63/04

IPC 8 full level
E05B 15/00 (2006.01); **E05B 63/04** (2006.01); **E05B 65/44** (2006.01)

CPC (source: EP)
E05B 15/0013 (2013.01); **E05B 63/04** (2013.01); **E05B 65/44** (2013.01); **E05B 15/0053** (2013.01)

Designated contracting state (EPC)
AT BE CH DE DK ES FR GB IT LI NL PT SE

DOCDB simple family (publication)
WO 9744558 A1 19971127; AT E185183 T1 19991015; BR 9709456 A 19990810; CZ 369998 A3 19990512; DE 19621619 A1 19971120;
DE 19621619 C2 20021024; DE 59700510 D1 19991104; EP 0898633 A1 19990303; EP 0898633 B1 19990929; ES 2140236 T3 20000216;
HU P9903659 A2 20000328; PL 183125 B1 20020531; PL 329927 A1 19990426; SI 9720037 A 19990430; TR 199802342 T2 19990222

DOCDB simple family (application)
EP 9702266 W 19970503; AT 97921851 T 19970503; BR 9709456 A 19970503; CZ 369998 A 19970503; DE 19621619 A 19960530;
DE 59700510 T 19970503; EP 97921851 A 19970503; ES 97921851 T 19970503; HU P9903659 A 19970503; PL 32992797 A 19970503;
SI 9720037 A 19970503; TR 9802342 T 19970503