

Title (en)

Current regulation circuit

Title (de)

Schaltungsvorrichtung zur Stromregelung

Title (fr)

Circuit de régulation de courant

Publication

EP 0901057 A2 19990310 (DE)

Application

EP 98114690 A 19980805

Priority

DE 29715925 U 19970905

Abstract (en)

A circuit (1) for controlling the current taken by the coil (14) of an electromagnetically operated relay energised from a bridge rectifier (6) has a regulator unit (26) which exercises pulse control of the excitation of the coil (14) via a MOSFET switch (15) in response to the module (29). During operation the coil current (15) is measured as a voltage (UM) across the resistor (16) and compared with recorded reference nouns to ensure conformity with the fundamentally different levels of excitation which characterise armature closing and holding. Evaluation and control of these phases of operation is exercised by the modules (20,21,25) and a flywheel circuit (13,17,18) protects against high induced voltages during pulse switching.

Abstract (de)

Es wird eine Schaltungsvorrichtung zur Regelung eines durch eine Magnetspulenanzordnung (14) fließenden Spulenstromes (IS) vorgeschlagen, mit einer Regeleinrichtung (26), die eine Meßanordnung (16, 21) zum Messen des Spulenstromes (IS) aufweist und die den Spulenstrom (IS) in Abhängigkeit von der gemessenen Spulenstromstärke regelt, mit Mitteln zur Erzeugung eines durch die Magnetspulenanzordnung (14) fließenden, durch Taktung geregelten Anzugsstromes (IA) und mit einer Umschalteinrichtung (25) zur Absenkung des Spulenstromes (IS) nach Ablauf einer Anzugszeitdauer (TA) auf einen geringeren, bis zum Ende eines Schaltsignales (UG bzw. UO) fließenden, getakteten Haltestrom (IH). Die Meßanordnung (16, 21) ist außerhalb des Freilaufstromkreises (18) geschaltet, in dem während des in den Taktpausen vorliegenden Freilaufzustands der Magnetspulenanzordnung (14) der Freilaufstrom fließt. Hierdurch muß die Eingangsspannung nicht an den gewünschten Anzugsstrom angepaßt sein, und der Freilaufstrom erzeugt in der Meßanordnung keine Verlustleistung. <IMAGE>

IPC 1-7

G05F 1/569

IPC 8 full level

G05F 1/56 (2006.01); **G05F 1/569** (2006.01); **H01F 7/18** (2006.01)

CPC (source: EP US)

G05F 1/56 (2013.01 - EP US); **H01F 7/1805** (2013.01 - EP US); **H01F 7/1844** (2013.01 - EP US)

Cited by

CN105955393A; DE102004058159A1; DE102004058159B4; DE102015101778A1

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

DE 29715925 U1 19971023; DE 59807292 D1 20030403; EP 0901057 A2 19990310; EP 0901057 A3 19990512; EP 0901057 B1 20030226; US 6262874 B1 20010717

DOCDB simple family (application)

DE 29715925 U 19970905; DE 59807292 T 19980805; EP 98114690 A 19980805; US 14830398 A 19980904