

Title (en)

Highly reliable thermostat for adjusting temperature in electric apparatus

Title (de)

Thermostat mit hoher Betriebssicherheit zur Einstellung der Temperatur in elektrischen Geräten

Title (fr)

Thermostat à haute fiabilité de fonctionnement pour l'ajustement de la température des appareils électriques

Publication

**EP 0907196 A1 19990407 (EN)**

Application

**EP 98118378 A 19980929**

Priority

IT MI970702 U 19971001

Abstract (en)

The invention relates to a thermostat for adjusting temperature in electric apparatus comprising, inside a box-like body, a membrane, coupled to a liquid holding probe varying its volume as the temperature changes. The thermostat comprises a rocking member supporting a non conductive material pad, affecting a metal blade, depending on the volume variation, in turn depending on the temperature transmitted to the membrane. The blade is driven from a first position, providing an electrical connection between an input terminal and a first output terminal, to a second position, in which the blade is electrically connected to a second output terminal. The blade can be resiliently recovered to the first position thereof by a resilient fork element, the legs of which bear on an insulating diaphragm, provided with a hole for allowing the pad to pass therethrough. <IMAGE>

IPC 1-7

**H01H 37/36**; **H01H 35/26**

IPC 8 full level

**H01H 37/36** (2006.01)

CPC (source: EP)

**H01H 37/36** (2013.01)

Citation (search report)

- [PX] EP 0822567 A2 19980204 - FIRT S R L [IT]
- [X] US 4565989 A 19860121 - LOTTER BRUNO [DE], et al
- [X] US 4163129 A 19790731 - FERLONI VINCENZO [IT], et al
- [X] US 5029303 A 19910702 - KICHERER ROBERT [DE], et al
- [A] EP 0274459 A2 19880713 - PRODIGY ITALIANA SRL [IT]
- [A] FR 2490003 A1 19820312 - THOMSON BRANDT [FR]
- [A] GB 2034522 A 19800604 - RANCO INC
- [A] US 3729605 A 19730424 - ANDRESEN J

Cited by

CN103441035A

Designated contracting state (EPC)

AT BE CH DE DK ES FI FR GB GR LI LU NL SE

DOCDB simple family (publication)

**EP 0907196 A1 19990407**; IT 237943 Y1 20000929; IT MI970702 U1 19990401

DOCDB simple family (application)

**EP 98118378 A 19980929**; IT MI970702 U 19971001