

Title (en)
APPARATUS FOR EXCHANGING HEAT BETWEEN AT LEAST THREE FLUIDS

Title (de)
WÄRMETAUSCHER FÜR MINDESTENS DREI FLÜSSIGKEITEN

Title (fr)
INSTALLATION D'ECHANGE THERMIQUE ENTRE AU MOINS TROIS FLUIDES

Publication
EP 0912868 B1 20010620 (FR)

Application
EP 97931891 A 19970707

Priority
• FR 9701225 W 19970707
• FR 9609115 A 19960719

Abstract (en)
[origin: WO9803831A1] An apparatus for exchanging heat between at least three fluids, including an elongate sealed chamber (1), at least two separate plate cores (10; 40) both arranged inside the sealed chamber (1) and each provided with circuits for two separate fluids, fluid inlet and outlet means for the respective circuits of the plate cores (10; 40), connecting means enabling fluid circulation between said plate cores (10; 40), and means for supporting each of the plate cores (10; 40) in said sealed chamber (1).

IPC 1-7
F28D 9/00; **F28F 9/007**

IPC 8 full level
F28F 9/00 (2006.01); **F28D 9/00** (2006.01); **F28F 9/007** (2006.01)

CPC (source: EP US)
F28D 9/0006 (2013.01 - EP US); **F28D 9/0093** (2013.01 - EP US); **F28F 9/0075** (2013.01 - EP US)

Citation (examination)
H. Hausen, H. Linde, "Tiefemperaturtechnik", Springer-Verlag, Berlin, Heidelberg, New York, Tokio, 1985, pages 474 et 475; J. H. Perry, "Chemical Engineers' Handbook", McGraw Hill Book Company, 1969, pages 11-13 et 11-14.

Cited by
CN1329706C

Designated contracting state (EPC)
AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)
WO 9803831 A1 19980129; AT E202414 T1 20010715; AU 3548397 A 19980210; DE 69705311 D1 20010726; DE 69705311 T2 20011122; EP 0912868 A1 19990506; EP 0912868 B1 20010620; FR 2751402 A1 19980123; FR 2751402 B1 19981009; JP 2000514914 A 20001107; JP 4024862 B2 20071219; US 6089313 A 20000718

DOCDB simple family (application)
FR 9701225 W 19970707; AT 97931891 T 19970707; AU 3548397 A 19970707; DE 69705311 T 19970707; EP 97931891 A 19970707; FR 9609115 A 19960719; JP 50662098 A 19970707; US 21482799 A 19990331