

Title (en)
FILTER WITH HIGH TEMPERATURE STRENGTH, IN PARTICULAR FOR PAINT INSTALLATION

Title (de)
HOCHTEMPERATURFILTER, INSBESONDERE FÜR EINE LACKIERANLAGE

Title (fr)
FILTRE RESISTANT A HAUTE TEMPERATURE, NOTAMMENT POUR INSTALLATION DE PEINTURE

Publication
EP 0914188 B1 20020123 (FR)

Application
EP 98921546 A 19980416

Priority
• FR 9800767 W 19980416
• FR 9704686 A 19970416

Abstract (en)
[origin: FR2762231A1] The invention concerns a filter comprising a frame (1) wherein is enclosed a filter body (7). A joint (4), for example in glass braid, is mechanically supported by shaping parts of the frame (1) Said shaping parts are preferably lips (2c, 3c) obtained by folding the sections (2, 3) constituting the frame. Thus, the joint is constantly maintained in place even after operating at a high temperature and when the filter is removed for cleaning the installation. Said joint, thus maintained, can easily be removed to be replaced if it has deteriorated or to be saved for future use when the filter and the installation are being cleaned.

IPC 1-7
B01D 46/52; **B01D 29/01**

IPC 8 full level
B01D 46/00 (2006.01); **B01D 46/10** (2006.01); **B01D 46/42** (2006.01); **B01D 46/52** (2006.01)

CPC (source: EP)
B01D 46/0002 (2013.01); **B01D 46/10** (2013.01); **B01D 46/521** (2013.01); **B01D 2271/02** (2013.01)

Designated contracting state (EPC)
AT BE CH DE DK ES FI FR GB GR IE IT LI LU NL PT SE

DOCDB simple family (publication)
FR 2762231 A1 19981023; **FR 2762231 B1 19990702**; AT E212247 T1 20020215; AU 7436198 A 19981111; DE 69803534 D1 20020314; DE 69803534 T2 20020905; EP 0914188 A1 19990512; EP 0914188 B1 20020123; ES 2172889 T3 20021001; WO 9846330 A1 19981022

DOCDB simple family (application)
FR 9704686 A 19970416; AT 98921546 T 19980416; AU 7436198 A 19980416; DE 69803534 T 19980416; EP 98921546 A 19980416; ES 98921546 T 19980416; FR 9800767 W 19980416