

Publication

**EP 0914690 A4 19990512**

Application

**EP 96945672 A 19961231**

Priority

- US 9620791 W 19961231
- US 959096 P 19960104
- US 77444396 A 19961230

Abstract (en)

[origin: WO9725756A1] Disclosed is an assembly for mounting electrical connectors (24) on an edge of a printed circuit board (PCB) (52). A first elongated connector element (24) having opposed first and second ends is positioned on the one major side of the PCB (52) adjacent the edge. A second elongated connector element (96) having opposed first and second ends and positioned on the other major side of the PCB (52) adjacent the edge of the PCB (52) in side by side relation with said first elongated connector (24). A single fastener (68) simultaneously engages both elongated connector elements (24, 96) and the PCB (52). The fastener (68) may be a pair of blocks which each have a rear groove and ledge combination to engage the PCB (52) and side tongue and groove combination to engage the connector elements.

IPC 1-7

**H01R 9/09**

IPC 8 full level

**H01R 12/72** (2011.01)

CPC (source: EP)

**H01R 12/725** (2013.01)

Citation (search report)

- [A] US 4909743 A 19900320 - JOHNSON LENNART B [US], et al
- [A] FR 2163920 A5 19730727 - ITT FRANCE
- [A] "DOUBLE-SIDED RIGHT-ANGLE PIN CONNECTOR", IBM TECHNICAL DISCLOSURE BULLETIN, vol. 31, no. 5, October 1988 (1988-10-01), pages 73/74, XP000023405
- See references of WO 9725756A1

Cited by

**WO2011063840A1**

Designated contracting state (EPC)

**DE FR GB**

DOCDB simple family (publication)

**WO 9725756 A1 19970717**; EP 0914690 A1 19990512; EP 0914690 A4 19990512; JP 2001527685 A 20011225

DOCDB simple family (application)

**US 9620791 W 19961231**; EP 96945672 A 19961231; JP 52525097 A 19961231