

Title (en)
Bicycle crank arm parts/assembly and assembly tools

Title (de)
Kurbelarmordnung für ein Fahrrad und Montagewerkzeug

Title (fr)
Dispositif de pédalier pour bicyclettes et dispositif d'assemblage

Publication
EP 0916571 B1 20021016 (EN)

Application
EP 99100801 A 19960802

Priority

- EP 96305711 A 19960802
- JP 21983595 A 19950804
- JP 4665796 A 19960208

Abstract (en)

[origin: EP0756991A2] A crank axle includes an axle body having first and second ends, a first rotary linkage member (51) disposed at the first end of the axle body for nonrotatably fitting a first crank arm (1) thereto, and a first centring structure (52) disposed at the first end of the axle body in close proximity to the first rotary linkage member (51). If desired, the rotary linkage member may be formed as a plurality of splines, and the same structure may be formed at the second end. A crank arm for fitting to the crank axle includes a crank axle mounting section (21) having a centring structure (24) for centring the crank axle mounting section to an end of a crank axle (5), and a rotary linkage member (23) for nonrotatably fitting the crank axle mounting section (21) to the end of the crank axle. A special bolt (54) is used to fix the crank arm to the crank axle. The bolt (54) includes a head (541), a threaded section (542) having a diameter greater than or equal to the head, and a flange (55) disposed between the head and the threaded section. The flange preferably has a diameter greater than the diameter of the threaded section, and the head defines a multiple-sided tool-engaging hole (59) which extends axially into the threaded section to maximise the tool engaging surface. The crank axle mounting section (21) of the crank arm preferably includes a stop ring or similar structure located so that the flange (55) of the bolt (54) is disposed between the stop ring and the first end of the axle body. As a result, the bolt flange presses the crank arm apart from the crank axle when the bolt is loosened. Special tools may be provided to allow easy installation and removal of the components. <IMAGE>

IPC 1-7
B62M 3/00

IPC 8 full level
B62M 1/36 (2013.01); **B25B 13/48** (2006.01); **B25B 27/00** (2006.01); **B62M 3/00** (2006.01); **F16B 35/04** (2006.01); **F16B 35/06** (2006.01); **F16B 37/00** (2006.01)

CPC (source: EP US)
B25B 13/48 (2013.01 - EP US); **B25B 27/0071** (2013.01 - EP US); **B62M 3/00** (2013.01 - EP US); **B62M 3/003** (2013.01 - EP US); **F16B 35/048** (2013.01 - EP US); **F16B 35/06** (2013.01 - EP US); **F16B 2037/007** (2013.01 - EP US); **Y10T 74/2164** (2015.01 - EP US); **Y10T 74/2165** (2015.01 - EP US)

Cited by
US8616084B2

Designated contracting state (EPC)
DE FR IT

DOCDB simple family (publication)
EP 0756991 A2 19970205; EP 0756991 A3 19970402; EP 0756991 B1 20021016; CN 100347034 C 20071107; CN 100347035 C 20071107; CN 1073522 C 20011024; CN 1108946 C 20030521; CN 1115234 C 20030723; CN 1142456 A 19970212; CN 1160517 C 20040804; CN 1282696 A 20010207; CN 1285299 A 20010228; CN 1285300 A 20010228; CN 1333161 A 20020130; CN 1341532 A 20020327; DE 69621159 D1 20020613; DE 69621159 T2 20021219; DE 69621256 D1 20020620; DE 69621256 T2 20021219; DE 69622437 D1 20020822; DE 69622437 T2 20030220; DE 69624299 D1 20021121; DE 69624299 T2 20030626; DE 69624384 D1 20021121; DE 69624384 T2 20030731; DE 69628049 D1 20030612; DE 69628049 T2 20040408; EP 0909696 A2 19990421; EP 0909696 A3 19991215; EP 0909696 B1 20020515; EP 0909697 A2 19990421; EP 0909697 A3 19991215; EP 0909697 B1 20020508; EP 0909698 A2 19990421; EP 0909698 A3 19991215; EP 0909698 B1 20030507; EP 0909699 A2 19990421; EP 0909699 A3 19991215; EP 0909699 B1 20020717; EP 0916571 A2 19990519; EP 0916571 A3 19991215; EP 0916571 B1 20021016; JP 3526683 B2 20040517; JP H09104383 A 19970422; US 5819599 A 19981013; US 5819600 A 19981013; US 5845543 A 19981208; US 5852954 A 19981229; US 5907980 A 19990601

DOCDB simple family (application)
EP 96305711 A 19960802; CN 00120854 A 20000802; CN 00121217 A 20000807; CN 00121221 A 20000807; CN 00121230 A 19960805; CN 00121231 A 20000808; CN 96106419 A 19960805; DE 69621159 T 19960802; DE 69621256 T 19960802; DE 69622437 T 19960802; DE 69624299 T 19960802; DE 69624384 T 19960802; DE 69628049 T 19960802; EP 99100783 A 19960802; EP 99100801 A 19960802; EP 99100802 A 19960802; EP 99100803 A 19960802; EP 99100804 A 19960802; JP 4665796 A 19960208; US 68720396 A 19960725; US 89069097 A 19970711; US 89169897 A 19970711; US 89169997 A 19970711; US 89370997 A 19970711