

Title (en)

Method and device for operating an open-end spinning machine

Title (de)

Verfahren und Vorrichtung zum Betreiben einer Offenend-Spinnmaschine

Title (fr)

Procédé et dispositif pour actionner un métier à filer à bout ouvert

Publication

EP 0922797 A3 19991020 (DE)

Application

EP 98120090 A 19981024

Priority

DE 19755060 A 19971211

Abstract (en)

[origin: EP0922797A2] The mobile maintenance unit (10), to service a number of spinning stations at an open-end spinning machine, has a sensor (41) linked to a control (18) to check the identification mark at the spinning rotor (15). A yarn splicing operation can only start when the identification mark indicates that the spinning rotor (15) has been recognized and the operating units are in a correct alignment. The data carried by the identification mark is compared with stored data (45) at the service unit (10) control (18). The mark can be a machine readable barcode. The sensor (41) is at the cleaning head (16) of the service unit (10).

IPC 1-7

D01H 4/50

IPC 8 full level

D01H 4/08 (2006.01); **D01H 4/10** (2006.01); **D01H 4/50** (2006.01); **D01H 13/14** (2006.01); **D01H 13/32** (2006.01)

CPC (source: EP US)

D01H 4/08 (2013.01 - EP US); **D01H 4/10** (2013.01 - EP US); **D01H 4/50** (2013.01 - EP US); **D01H 13/14** (2013.01 - EP US); **D01H 13/32** (2013.01 - EP US)

Citation (search report)

[AD] FR 2306285 A1 19761029 - STAHLER FRITZ [DE]

Cited by

EP1939123A1; EP1375710A3; EP1106557A3; DE10117095A1; EP4368756A1; LU503026B1; EP3739090A1; US8001759B2; WO2007045289A1; US6513749B1; US10952562B2

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

EP 0922797 A2 19990616; EP 0922797 A3 19991020; EP 0922797 B1 20010801; DE 19755060 A1 19990617; DE 59801119 D1 20010906; TR 199802557 A2 19991021; TR 199802557 A3 19991021; US 6009700 A 20000104

DOCDB simple family (application)

EP 98120090 A 19981024; DE 19755060 A 19971211; DE 59801119 T 19981024; TR 9802557 A 19981209; US 20869098 A 19981210