

Title (en)
Cup attaching apparatus

Title (de)
Vorrichtung zum Anbringen eines Halteteils

Title (fr)
Appareil de glantage pour lentilles

Publication
EP 0933163 B1 20040929 (EN)

Application
EP 99101573 A 19990129

Priority
• JP 3403598 A 19980130
• JP 24621398 A 19980831

Abstract (en)
[origin: EP0933163A1] In a cup attaching apparatus, a cup (6) is attached as a processing jig to a subject lens (5) along a reference axis (L), the lens (5) and an index plate (14) having an index of a predetermined pattern are illuminated by substantially parallel rays of light shaped into a diameter larger than a diameter of the lens (5) so that an image of the lens (5) and an image of the index are projected onto a screen (2), and the index image projected onto the screen (2) is detected, whereas an entire image of the lens projected onto the screen (2) is picked up. An optical center of the lens (5) with respect to the reference axis (L) is obtained on the basis of the index image detected by said detecting means, thereby displaying in a superposed manner alignment information indicating a relative position of the optical center with respect to the reference axis (L) and the image thus picked up. The alignment is effected while observing the displayed information. <IMAGE>

IPC 1-7
B24B 13/005

IPC 8 full level
B24B 13/005 (2006.01)

CPC (source: EP)
B24B 13/005 (2013.01)

Cited by
FR2854268A1; CN105666281A; EP1201360A3; CN109154556A; EP1974858A1; EP1080835A3; EP1149664A3; EP3165341A1; CN106896532A; US6599171B2; US6798501B1; US6379215B1; US8506354B2; US6481095B1; EP1201360A2; US6722944B2

Designated contracting state (EPC)
DE ES FR GB

DOCDB simple family (publication)
EP 0933163 A1 19990804; EP 0933163 B1 20040929; EP 0933163 B2 20120118; DE 69920542 D1 20041104; DE 69920542 T2 20051117; DE 69920542 T3 20120524; ES 2230750 T3 20050501; ES 2230750 T5 20120521

DOCDB simple family (application)
EP 99101573 A 19990129; DE 69920542 T 19990129; ES 99101573 T 19990129