

Title (en)  
INDUCTOR IN A FUSION TANK

Title (de)  
INDUKTOR BEI EINEM SCHMELZENGEFÄSS

Title (fr)  
INDUCTEUR A PLACER DANS UNE CUVE DE FUSION

Publication  
**EP 0944448 B1 20020220 (DE)**

Application  
**EP 97949973 A 19971128**

Priority  
• DE 9702784 W 19971128  
• DE 19651535 A 19961211

Abstract (en)  
[origin: US6052403A] PCT No. PCT/DE97/02784 Sec. 371 Date Jun. 4, 1999 Sec. 102(e) Date Jun. 4, 1999 PCT Filed Nov. 28, 1997 PCT Pub. No. WO98/25718 PCT Pub. Date Jun. 18, 1998An inductor is used to generate an electromagnetic AC field at a pipe-in-pipe discharge element of a metallurgical vessel. The inductor has at least two cooling fluid regions for the flow of cooling fluid therethrough. First supply and drain lines are connected to a first of the cooling fluid regions for supplying the first cooling fluid thereto. Second supply and drain lines are connected to a second region. The second cooling fluid is different than the first cooling fluid so that separate regions can be separately cooled with different cooling fluids having different properties.

IPC 1-7  
**B22D 41/60**

IPC 8 full level  
**B22D 11/10** (2006.01); **B22D 41/14** (2006.01); **B22D 41/60** (2006.01); **G08B 13/24** (2006.01); **H01F 1/153** (2006.01); **H05B 6/42** (2006.01)

CPC (source: EP KR US)  
**B22D 41/14** (2013.01 - EP US); **B22D 41/60** (2013.01 - KR); **G08B 13/2408** (2013.01 - EP US); **H01F 1/15316** (2013.01 - EP US); **H05B 6/42** (2013.01 - EP US)

Designated contracting state (EPC)  
AT BE CH DE DK ES FI FR GB GR IT LI LU NL PT SE

DOCDB simple family (publication)  
**US 6052403 A 20000418**; AT E213440 T1 20020315; AU 5309398 A 19980703; DE 19651535 C1 19980430; DE 19781390 D2 19991111; DE 59706455 D1 20020328; EP 0944448 A1 19990929; EP 0944448 B1 20020220; JP 2001505487 A 20010424; KR 20000057522 A 20000925; WO 9825718 A1 19980618

DOCDB simple family (application)  
**US 31938399 A 19990604**; AT 97949973 T 19971128; AU 5309398 A 19971128; DE 19651535 A 19961211; DE 19781390 T 19971128; DE 59706455 T 19971128; DE 9702784 W 19971128; EP 97949973 A 19971128; JP 52607798 A 19971128; KR 19997005228 A 19990611