

Title (en)  
Pressure-actuated diverting valve

Title (de)  
Druckmittelbetätigtes Umschaltventil

Title (fr)  
Vanne de dérivation actionnée par pression

Publication  
**EP 0945687 B1 20030219 (EN)**

Application  
**EP 99105040 A 19990322**

Priority  
IT VR980019 A 19980324

Abstract (en)  
[origin: EP0945687A1] A pressure-actuated diverting valve (1) having a three-way valve portion (3) with a movable control valve element (38,39) for controlling the flow from a primary circuit, a diaphragm valve portion (2) for controlling the flow to a secondary circuit, a first control shaft (17) and a second control shaft (40) which are arranged parallel to, or aligned with, each other and are slidingly mounted on seals (19,51), the second control shaft (40) being designed to actuate the control element (38,39) and the first control shaft (17) being designed to be actuated by the diaphragm (10) of the diaphragm valve portion (2), and resilient loading means (48,24,16) for the control element (38,39) and for the diaphragm (10). Between the first control shaft (17) and the second control shaft (40) there is provided a transverse slider (61) which can move axially and has one end (62) operatively engaged with the first and second control shafts (17,40), so that the slider moves or rotates in one direction, if the control shafts (17,40) move mutually closer, and in the opposite direction, if they move apart, and its other end (64) arranged to actuate switching means (67,67a).  
<IMAGE>

IPC 1-7  
**F24D 19/10**

IPC 8 full level  
**F24D 19/10** (2006.01)

CPC (source: EP US)  
**F24D 19/1066** (2013.01 - EP US)

Cited by  
EP1422451A1; EP1406035A1; FR2813950A1; EP1188991A1

Designated contracting state (EPC)  
AT BE CH DE ES FR GB IE IT LI NL SE

DOCDB simple family (publication)  
**EP 0945687 A1 19990929; EP 0945687 B1 20030219**; AT E232954 T1 20030315; DE 69905412 D1 20030327; DE 69905412 T2 20031127; ES 2192809 T3 20031016; IT 1299650 B1 20000324; IT VR980019 A1 19990924; SI 0945687 T1 20030831

DOCDB simple family (application)  
**EP 99105040 A 19990322**; AT 99105040 T 19990322; DE 69905412 T 19990322; ES 99105040 T 19990322; IT VR980019 A 19980324; SI 9930248 T 19990322