

Title (en)

Tensile cable shortening for fire fighting equipment

Title (de)

Zugseilverkürzung für Feuerlöschvorrichtungen

Title (fr)

Raccourcissement de cable de tension pour appareils pour la lutte contre l'incendie

Publication

**EP 0947223 B1 20030312 (DE)**

Application

**EP 98106212 A 19980404**

Priority

EP 98106212 A 19980404

Abstract (en)

[origin: EP0947223A1] The restraining system for the pull cord (4) of a fire extinguisher, which activates the extinguisher when released, is a contracted structure (1) which is released by retainer (5,6) on being heated. The structure (1) is wound and twisted from a single spring steel wire, with an eyelet (2) at one end to take the extinguisher pull cord (4) and lead it through a further eyelet (3). The wire structure is held in the tensed restraining position by the retainer (5,6) to spring out when released and exert a pull on the extinguisher cord.

IPC 1-7

**A62C 37/14**; **A62C 2/24**

IPC 8 full level

**A62C 2/24** (2006.01); **A62C 37/14** (2006.01)

CPC (source: EP US)

**A62C 2/243** (2013.01 - EP US); **A62C 37/14** (2013.01 - EP US)

Designated contracting state (EPC)

DE FR GB

DOCDB simple family (publication)

**EP 0947223 A1 19991006**; **EP 0947223 B1 20030312**; CN 1105588 C 20030416; CN 1238225 A 19991215; DE 59807467 D1 20030417; US 6076609 A 20000620

DOCDB simple family (application)

**EP 98106212 A 19980404**; CN 99105653 A 19990401; DE 59807467 T 19980404; US 27362999 A 19990323