

Title (en)

Working vehicle with tilting operator platform and lifting mechanism

Title (de)

Arbeitsfahrzeug mit kippbarer Fahrerplattform und Kippvorrichtung

Title (fr)

Véhicule utilitaire avec plate-forme de conduite basculante et mécanisme de basculement

Publication

**EP 0955230 A3 20021120 (DE)**

Application

**EP 99108827 A 19990504**

Priority

DE 19820377 A 19980507

Abstract (en)

[origin: EP0955230A2] The vehicle has at least one lift arm(30) hinged on the body(36) to operate an auxiliary mechanism(28) for additional equipment. The lift arm also serves as a first link and has a pivot point through which it is connected to the driver's cab(20) or to a component attached to the cab. A single or double-acting hydraulic motor(34) for tipping of the cab is connected by respective ends to the body of the vehicle and to the lift arm. An Independent claim is included for a tipping mechanism for the driver's cab which includes the aforesaid operating motor connected to the body of the vehicle and lift arm.

IPC 1-7

**B62D 33/067**

IPC 8 full level

**B62D 33/067** (2006.01)

CPC (source: EP US)

**B62D 33/067** (2013.01 - EP US)

Citation (search report)

- [A] US 5368118 A 19941129 - HOEFLE JOERG J [DE]
- [DA] DE 3007074 A1 19810903 - FENDT & CO XAVER [DE]
- [A] PATENT ABSTRACTS OF JAPAN vol. 007, no. 169 (M - 231) 26 July 1983 (1983-07-26)

Cited by

EP2060475A4; US11230327B2; US8157042B2

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

**EP 0955230 A2 19991110; EP 0955230 A3 20021120; EP 0955230 B1 20060111**; AR 015083 A1 20010411; AT E315514 T1 20060215; BR 9901499 A 20000104; CA 2267607 A1 19991107; CA 2267607 C 20040406; DE 19820377 C1 19991125; DE 59913035 D1 20060406; US 6145613 A 20001114

DOCDB simple family (application)

**EP 99108827 A 19990504**; AR P990102164 A 19990507; AT 99108827 T 19990504; BR 9901499 A 19990506; CA 2267607 A 19990415; DE 19820377 A 19980507; DE 59913035 T 19990504; US 28685399 A 19990406