

Title (en)

Bushing for high- and middlevoltage station

Title (de)

Durchführungsisolator für Hoch- und Mittelspannungsstation

Title (fr)

Traversée pour poste à haute et moyenne tension

Publication

EP 0964409 B1 20031203 (FR)

Application

EP 99401249 A 19990525

Priority

FR 9807178 A 19980608

Abstract (en)

[origin: EP0964409A1] The post has a simple truncated conical fitting matching corresponding support plate. The support post for high or medium tension use includes a voltage divider (6) supporting a metallic bar (1) extending longitudinally (D) above the divider. A metal plate (8) is provided to provide mechanical and electrical coupling for the end of the bar which is to be attached to the voltage divider (6). The plate (8) comprises a flat surface (9) with a boss (10) fixed to its upper surface. The boss provides a truncated conical hole (11) which extends in the longitudinal direction (D) and inside which is a central cylindrical peg (12). This combination is destined to receive a skirt (13) of truncated conical section mounted on the foot of the metallic bar.

IPC 1-7

H01B 17/26

IPC 8 full level

H01F 38/24 (2006.01); **H01B 17/26** (2006.01); **H01F 38/26** (2006.01)

CPC (source: EP US)

H01B 17/26 (2013.01 - EP US); **H01F 38/26** (2013.01 - EP US)

Designated contracting state (EPC)

CH DE ES GB IT LI NL SE

DOCDB simple family (publication)

EP 0964409 A1 19991215; **EP 0964409 B1 20031203**; CA 2300282 A1 19991216; DE 69913249 D1 20040115; DE 69913249 T2 20040909; FR 2779564 A1 19991210; FR 2779564 B1 20000707; JP 2002518821 A 20020625; US 6215684 B1 20010410; WO 9965040 A1 19991216

DOCDB simple family (application)

EP 99401249 A 19990525; CA 2300282 A 19990607; DE 69913249 T 19990525; FR 9807178 A 19980608; FR 9901338 W 19990607; JP 2000553964 A 19990607; US 46390900 A 20000202