

Title (en)

Process for producing Fe-B-R based permanent magnet having a corrosion-resistant film

Title (de)

Verfahren zur Herstellung eines auf R-Fe-B basiertes Dauermagnet mit korrosionsfeste Schicht

Title (fr)

Procédé de fabrication d'un aimant permanent à base de R-Fe-B, pourvu d'un film résistant à la corrosion

Publication

**EP 0984464 A3 20000607 (EN)**

Application

**EP 99116399 A 19990820**

Priority

- JP 26247698 A 19980831
- JP 27950798 A 19981001
- JP 28662898 A 19981008
- JP 30373198 A 19981026
- JP 34991598 A 19981209

Abstract (en)

[origin: EP0984464A2] Producing a permanent magnet comprises placing the Fe-B-rare earth based magnet and metal pieces into a treating vessel for vibration and/or agitation. A metal film is formed on the magnet surface, with a sol solution applied to the metal film surface. The sol is produced by hydrolytic reaction, polymerizing metal compound and heat treating the resultant metal oxide film.

IPC 1-7

**H01F 41/02; H01F 1/057**

IPC 8 full level

**H01F 41/02** (2006.01)

CPC (source: EP)

**H01F 41/026** (2013.01)

Citation (search report)

- [Y] EP 0502475 A2 19920909 - KANEKA FUCHI CHEMICAL IND [JP], et al
- [YA] PATENT ABSTRACTS OF JAPAN vol. 1995, no. 11 26 December 1995 (1995-12-26)
- [A] PATENT ABSTRACTS OF JAPAN vol. 011, no. 384 (E - 565) 15 December 1987 (1987-12-15)
- [A] PATENT ABSTRACTS OF JAPAN vol. 1996, no. 03 29 March 1996 (1996-03-29)
- [A] PATENT ABSTRACTS OF JAPAN vol. 1998, no. 03 27 February 1998 (1998-02-27)

Cited by

EP1455368A4; US7156928B2

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

**EP 0984464 A2 20000308; EP 0984464 A3 20000607; EP 0984464 B1 20040728;** DE 69915554 D1 20040422; DE 69915554 T2 20050127;  
DE 69918915 D1 20040902; DE 69918915 T2 20050728; HK 1026060 A1 20001201; MY 117187 A 20040531; MY 119680 A 20050630

DOCDB simple family (application)

**EP 99116399 A 19990820;** DE 69915554 T 19990820; DE 69918915 T 19990820; HK 00105186 A 20000817; MY PI9903592 A 19990820;  
MY PI9903593 A 19990820