

Title (en)
CONTINUOUS CASTING DEVICE

Title (de)
STRANGGIESSVORRICHTUNG

Title (fr)
INSTALLATION DE COULEE CONTINUE

Publication
EP 0984836 B1 20011004 (DE)

Application
EP 98930741 A 19980528

Priority
• EP 9803134 W 19980528
• LU 90071 A 19970530

Abstract (en)
[origin: WO9853935A1] The invention relates to a continuous casting device comprising a support structure (16, 116), a swing lever (24, 124) which is pivotally mounted in the support structure (16,166) around a first pivotal axis, a drive mechanism (34,134) which is connected to said swing lever (24,124) and a continuous casting shell (14,114) which can be impinged upon by a cooling medium. A bearing (38,138) to support the continuous cast shell (14,114) is pivotally mounted on the swing lever (24,124) around a second pivotal axis, whereby at least one connection for the cooling medium is integrated into the pivoting bearing (38,138).

IPC 1-7
B22D 11/04

IPC 8 full level
B22D 11/053 (2006.01); **B22D 11/055** (2006.01)

CPC (source: EP KR US)
B22D 11/04 (2013.01 - KR); **B22D 11/043** (2013.01 - EP US); **B22D 11/053** (2013.01 - EP US); **B22D 11/055** (2013.01 - EP US)

Cited by
DE102006010984B4; DE102006010984A1; EP1832361A1

Designated contracting state (EPC)
AT BE DE ES FR GB IT NL PT

DOCDB simple family (publication)
WO 9853935 A1 19981203; AT E206334 T1 20011015; AU 8106998 A 19981230; BR 9809887 A 20000627; CN 1072048 C 20011003; CN 1258238 A 20000628; DE 59801647 D1 20011108; EP 0984836 A1 20000315; EP 0984836 B1 20011004; ES 2161540 T3 20011201; JP 2002500565 A 20020108; KR 20010013196 A 20010226; LU 90071 B1 19981201; PL 337041 A1 20000731; UA 44880 C2 20020315; US 6298905 B1 20011009

DOCDB simple family (application)
EP 9803134 W 19980528; AT 98930741 T 19980528; AU 8106998 A 19980528; BR 9809887 A 19980528; CN 98805622 A 19980528; DE 59801647 T 19980528; EP 98930741 A 19980528; ES 98930741 T 19980528; JP 50023999 A 19980528; KR 19997011182 A 19980528; LU 90071 A 19970530; PL 33704198 A 19980528; UA 99127239 A 19980528; US 45022499 A 19991129