

Title (en)

FATTY ACID DESATURASES AND MUTANT SEQUENCES THEREOF

Title (de)

FETTSÄUREDESATURASEN UND MUTIERTE SEQUENZEN DAVON

Title (fr)

DESATURASES D'ACIDE GRAS ET LEURS SEQUENCES MUTANTES

Publication

EP 0987936 A1 20000329 (EN)

Application

EP 98929058 A 19980611

Priority

- US 9812332 W 19980611
- US 87410997 A 19970612

Abstract (en)

[origin: WO9856239A1] Seeds, plants and oils are provided having high oleic acid; low linoleic acid; and low linoleic acid plus linolenic acid; and advantageous functional or nutritional properties. Plants are disclosed that contain a mutation in a delta-12 or delta-15 fatty acid desaturase gene. Preferred plants are rapeseed and sunflower plants. Plants carrying such mutant genes have altered fatty acid composition in seeds. In one embodiment, a plant contains a mutation in a region having the conserved motif His-Xaa-Xaa-Xaa-His, found in delta-12 and delta-15 fatty acid desaturases. A preferred motif has the sequence His-Glu-Cys-Gly-His. A preferred mutation in this motif has the amino acid sequence His-Lys-Cys-Gly-His. Nucleic acid fragments are disclosed that comprise a mutant delta-12 or delta-15 fatty acid desaturase gene sequence.

IPC 1-7

A01H 1/06; A01H 5/10; A01H 1/00; C12N 15/00; C07C 57/03; C07C 53/126

IPC 8 full level

A01H 5/00 (2006.01); **C12N 5/10** (2006.01); **C12N 9/02** (2006.01); **C12N 15/09** (2006.01); **C12N 15/82** (2006.01)

CPC (source: EP)

C12N 9/0083 (2013.01); **C12N 15/8247** (2013.01)

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB IT LI NL PT

DOCDB simple family (publication)

WO 9856239 A1 19981217; AU 750363 B2 20020718; AU 8071598 A 19981230; CA 2293810 A1 19981217; CA 2293810 C 20100309;
EP 0987936 A1 20000329; EP 0987936 A4 20010314; JP 2002508659 A 20020319; JP 4209949 B2 20090114

DOCDB simple family (application)

US 9812332 W 19980611; AU 8071598 A 19980611; CA 2293810 A 19980611; EP 98929058 A 19980611; JP 50329899 A 19980611