

Title (en)

INTEGRATED GUIDING DEVICE FOR PRINTING FERRULE OR ROLLER AND FERRULE OR ROLLER EQUIPPED THEREWITH

Title (de)

INTEGRIERTE FÜHRUNGSVORRICHTUNG FÜR EINE HÜLSE ODER EINEN DRUCKZYLINDER UND HÜLSE ODER DRUCKZYLINDER AUSGERÜSTET MIT DIESER VORRICHTUNG

Title (fr)

DISPOSITIF DE GUIDAGE INTEGRE POUR MANCHON OU CYLINDRE D'IMPRESSION ET MANCHON OU CYLINDRE EQUIPE DE CE DISPOSITIF

Publication

**EP 0989934 A1 20000405 (FR)**

Application

**EP 98933678 A 19980623**

Priority

- FR 9801306 W 19980623
- FR 9708163 A 19970624

Abstract (en)

[origin: WO9858803A1] The invention concerns an integrated guiding device for setting and cutting by means of a cutting tool, a block (16) on a printing ferrule (10) or roller in particular in flexographic printing, said ferrule or roller comprising an external coat (24) capable of being machined in depth, characterised in that it comprises at least a longitudinal guide (30), along a generator, and/or a peripheral guide, along a circumference, arranged inside the matrix of a material with high degree of hardness, directly mounted in said external coat thickness. The invention also concerns the ferrule or roller equipped with said device.

IPC 1-7

**B41F 27/12**; **B41F 13/08**

IPC 8 full level

**B41F 13/08** (2006.01); **B41F 27/12** (2006.01)

CPC (source: EP US)

**B41F 13/08** (2013.01 - EP US); **B41F 27/1275** (2013.01 - EP US)

Citation (search report)

See references of WO 9858803A1

Cited by

WO2017134082A1; ITUB20160533A1

Designated contracting state (EPC)

DE ES FR GB IT NL SE

DOCDB simple family (publication)

**WO 9858803 A1 19981230**; AU 8341998 A 19990104; DE 69804450 D1 20020502; DE 69804450 T2 20021128; EP 0989934 A1 20000405; EP 0989934 B1 20020327; ES 2173602 T3 20021016; FR 2764842 A1 19981224; FR 2764842 B1 19990924; US 6371023 B1 20020416

DOCDB simple family (application)

**FR 9801306 W 19980623**; AU 8341998 A 19980623; DE 69804450 T 19980623; EP 98933678 A 19980623; ES 98933678 T 19980623; FR 9708163 A 19970624; US 44675100 A 20000131