

Title (en)

Apparatus for coiling an elongated element

Title (de)

Vorrichtung zum Herstellen von Ringwickeln aus langgestrecktem Gut

Title (fr)

Dispositif de mise en torches d'un élément longiligne

Publication

EP 0992447 B1 20040218 (FR)

Application

EP 98811010 A 19981007

Priority

EP 98811010 A 19981007

Abstract (en)

[origin: EP0992447A1] Each coil builds up on equally spaced, narrow, axially oriented slats (340) arranged around a notional cylinder whose horizontal axis is perpendicular to the direction (X) of extrusion. At one end, the slats are cantilevered on mountings adjustable, to set inner diameter of the coil, along spokes (33) extending radially from a central disk. Radial side-bars (341), axially adjustable along the slats, determine the coil width. This assembly (33,340,341), with a supporting base (31), axle (36) and drive motor (331), can slide on transverse rails (30) into contact with a corresponding inboard disk (32), defining the other side of the coil. This disk, rotating freely on bearings (320) on a fixed central support (300), is then driven by the outboard disk. The traversing feeding head (4) directs newly extruded tube, etc. to form coils on each frame (A,B) alternately. Completed coils are bound by ligatures passed through their open centers by the retractable arms (52) of a binding unit (5), which also cuts the coil at the correct length. Relaxing devices on the slats free them from the coil, whose weight passes to rollers (60,61), raised from the bars. The outboard assembly then withdraws laterally (30), allowing the coil to roll into a railed (63) dispatch area. The supervising controller (7) is opt. integrated with the extrusion line controller.

IPC 1-7

B65H 67/056; B65H 54/58

IPC 8 full level

B65H 54/58 (2006.01); **B65H 67/056** (2006.01)

CPC (source: EP)

B65H 54/58 (2013.01); **B65H 67/056** (2013.01); **B65H 2701/331** (2013.01)

Cited by

EP1215153A3; CN117921046A; US6513745B1; US10604867B2

Designated contracting state (EPC)

AT CH DE ES FR GB IT LI

DOCDB simple family (publication)

EP 0992447 A1 20000412; **EP 0992447 B1 20040218**; AT E259754 T1 20040315; DE 69821760 D1 20040325; DE 69821760 T2 20040923; ES 2217526 T3 20041101

DOCDB simple family (application)

EP 98811010 A 19981007; AT 98811010 T 19981007; DE 69821760 T 19981007; ES 98811010 T 19981007