

Title (en)
Filling a container with gas under pressure

Title (de)
Füllung eines Behälters mit Gas unter Druck

Title (fr)
Remplissage d'un récipient avec gaz sous pression

Publication
EP 0994290 A1 20000419 (EN)

Application
EP 99308100 A 19991014

Priority
FR 9812956 A 19981015

Abstract (en)
When filling a tank with xenon or krypton gases for use as a propellant in satellites, it is necessary to proceed slowly to allow heat to dissipate. The invention deals with this problem by withdrawing gas from the tank, cooling it, and re-introducing the cooled gas into the tank. The circulation of gas from and back to the tank is preferably achieved by a thermosyphonic action. The gas is preferably liquefied when it is cooled to give a strong thermosyphonic action and may be evaporated again before being returned to the tank. In a variation of the invention, the temperature of the tank is prevented from falling below a critical minimum temperature during depressurization of the tank by recirculating and heating some of the fluid during depressurization. <IMAGE>

IPC 1-7
F17C 5/06

IPC 8 full level
F17C 5/06 (2006.01)

CPC (source: EP)
F17C 5/06 (2013.01); **F17C 2221/014** (2013.01); **F17C 2221/016** (2013.01); **F17C 2223/0153** (2013.01); **F17C 2223/033** (2013.01);
F17C 2225/0123 (2013.01); **F17C 2225/036** (2013.01); **F17C 2227/0302** (2013.01); **F17C 2227/0337** (2013.01); **F17C 2227/0393** (2013.01);
F17C 2250/032 (2013.01); **F17C 2250/036** (2013.01); **F17C 2260/031** (2013.01); **F17C 2265/065** (2013.01); **F17C 2270/0197** (2013.01)

Citation (search report)
• [XY] WO 9706383 A1 19970220 - CYPHELLY IVAN J [CH]
• [X] US 4749384 A 19880607 - NOWOBILSKI JEFFERT J [US], et al
• [Y] DE 3805832 A1 19890119 - TEVES GMBH ALFRED [DE]
• [Y] US 4274851 A 19810623 - STOKES ANTHONY D

Cited by
DE10107895B4; CN112814876A

Designated contracting state (EPC)
FR

DOCDB simple family (publication)
EP 0994290 A1 20000419; FR 2784737 A1 20000421

DOCDB simple family (application)
EP 99308100 A 19991014; FR 9812956 A 19981015