

Title (en)
Method for testing a tank purge system

Title (de)
Verfahren zum Prüfen eines Tankentlüftungssystems

Title (fr)
Procédé de controle pour système de purge de réservoir

Publication
EP 1013917 A3 20001122 (DE)

Application
EP 99123162 A 19991122

Priority
• DE 19860750 A 19981223
• DE 19908138 A 19990225

Abstract (en)
[origin: EP1013917A2] The method involves feeding volatile gas containing hydrogen emanating from the tank (14) via a filter arrangement (32) in which it is collected. The filter arrangement is subjected to a vacuum to feed the filter material via a induction system (16) of an induction process into an internal combustion engine, whereby the connection between the filter arrangement and induction system is opened and closed by a clocked switching device. A drive signal for the switching device is cross-correlated with a measurement parameter defining the state of the induction system, and a correlation coefficient is evaluated as a diagnostic signal for the tank venting system.

IPC 1-7
F02M 25/08

IPC 8 full level
F02D 41/00 (2006.01); **F02D 41/22** (2006.01); **F02M 25/08** (2006.01)

CPC (source: EP)
F02M 25/0809 (2013.01); **F02D 2200/0406** (2013.01)

Citation (search report)
• [A] DE 4122975 A1 19930114 - BOSCH GMBH ROBERT [DE]
• [A] US 5696317 A 19971209 - RYCHLICK EDWARD GEORGE [US]
• [A] US 5140961 A 19920825 - SAWAMOTO KUNIFUMI [JP], et al

Cited by
US10202944B2; ITBO20120538A1; EP1179671A3; FR3027956A1; KR20170077152A; RU2695244C2; EP1179671A2; US7047798B2; WO2016066937A1; WO03033901A1

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)
EP 1013917 A2 20000628; EP 1013917 A3 20001122; EP 1013917 B1 20040218; AT E259935 T1 20040315; ES 2214799 T3 20040916

DOCDB simple family (application)
EP 99123162 A 19991122; AT 99123162 T 19991122; ES 99123162 T 19991122