

Title (en)

AUTOMATIC LINK HANDOVER BETWEEN DECT-ISDN BASE STATIONS

Title (de)

AUTOMATISCHES VERBINDUNGS-HANDOVER ZWISCHEN DECT-ISDN BASISSTATIONEN

Title (fr)

TRANSFERT AUTOMATIQUE DE LIAISON ENTRE DES STATIONS DE BASE DECT-RNIS

Publication

EP 1016306 A1 20000705 (DE)

Application

EP 98955318 A 19980914

Priority

- DE 9802716 W 19980914
- DE 19741175 A 19970918

Abstract (en)

[origin: DE19741175A1] The method involves responding to the breakage in a radio connection between a mobile handset (PP) and a cordless telephone base station (FP1). The base station is connected to a common ISDN exchange to supply a connection interrupt signal to a data link control layer. The call connection can be placed on hold for a timed interval, e.g. 30 seconds, in response to the connection interrupt signal. The connection is on hold until a new base station is located and the call is transferred to the new base station.

IPC 1-7

H04Q 7/38; **H04Q 11/04**

IPC 8 full level

H04Q 11/04 (2006.01); **H04W 36/08** (2009.01); **H04W 76/04** (2009.01)

CPC (source: EP US)

H04Q 11/0457 (2013.01 - EP); **H04Q 11/0471** (2013.01 - EP); **H04W 36/0055** (2013.01 - EP US); **H04Q 2213/13098** (2013.01 - EP); **H04Q 2213/13204** (2013.01 - EP); **H04Q 2213/13209** (2013.01 - EP); **H04Q 2213/13299** (2013.01 - EP)

Cited by

WO2012175525A1; WO2013045349A1; EP2466380A1; WO2012175445A1

Designated contracting state (EPC)

DE ES FR GB IT NL

DOCDB simple family (publication)

DE 19741175 A1 19990325; EP 1016306 A1 20000705; WO 9914971 A1 19990325

DOCDB simple family (application)

DE 19741175 A 19970918; DE 9802716 W 19980914; EP 98955318 A 19980914