

Title (en)  
Earth moving machine

Title (de)  
Erdbewegungsmaschine

Title (fr)  
Machine de terrassement

Publication  
**EP 1016762 A3 20001025 (EN)**

Application  
**EP 99125135 A 19991216**

Priority  
GB 9827558 A 19981216

Abstract (en)  
[origin: GB2344809A] An earth moving apparatus 10 comprises a rotatably carried body 15 including an operator's cab 18 positioned at a first side and an engine 39 in a compartment 38, orientated longitudinally, at a second opposite side, a working arm 21 at a first end carrying an implement 30 and a counterweight 44 at a second end. The engine compartment may be covered with one or more shaped body panels (S1,S2 Fig.3) which curve downward from a maximum height at the seated operator's position to or adjacent to a front corner extremity of the body. The counterweight may be an integral part of the body to comprise part of a wall structure 41. The operating functions can be powered by hydraulic fluid provided by a single variable displacement hydraulic pump 43 via control means, said pump preferably positioned between the engine and a first end of the apparatus. Pressurised hydraulic fluid may supply actuator means to operate a working arm and/or an implement relative to said arm and/or transmission to operate ground propulsion means and/or means to rotate the body relative to a base about an upright axis. An up/down actuated earth moving plough 35 powered by hydraulic pressure may be provided. The working arm may comprise a boom 22 and dipper 24 and ground propulsion can be by a pair of tracks 36, whereby the edges of said tracks define the width of the base and also of the apparatus. By mounting a cab and engine "side by side" the specified apparatus aims to provide space for a longer, larger cab than with a rear mounted engine and sloped body panels to give improved visual range over the frontal area.

IPC 1-7  
**E02F 9/12**; **E02F 9/22**

IPC 8 full level  
**E02F 3/38** (2006.01); **E02F 3/96** (2006.01); **E02F 9/08** (2006.01); **E02F 3/34** (2006.01)

CPC (source: EP)  
**E02F 3/325** (2013.01); **E02F 3/384** (2013.01); **E02F 3/964** (2013.01); **E02F 9/0866** (2013.01); **E02F 9/0891** (2013.01)

Citation (search report)

- [YA] FR 1457633 A 19660124 - SPERRY RAND CORP
- [YA] US 5046312 A 19910910 - TSUDA AKIRA [JP], et al
- [YA] EP 0262098 A1 19880330 - CHS VICKERS SPA [IT]
- [A] EP 0791771 A1 19970827 - KOMATSU MFG CO LTD [JP]
- [PA] EP 0900888 A1 19990310 - CATERPILLAR MITSUBISHI LTD [JP]
- [A] EP 0816576 A1 19980107 - KOBE STEEL LTD [JP]
- [A] US 5074194 A 19911224 - HIRATA TOICHI [JP], et al
- [A] PATENT ABSTRACTS OF JAPAN vol. 014, no. 355 (M - 1004) 31 July 1990 (1990-07-31)

Designated contracting state (EPC)  
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)  
**GB 2344809 A 20000621**; **GB 2344809 B 20021002**; **GB 9827558 D0 19990210**; EP 1016762 A2 20000705; EP 1016762 A3 20001025

DOCDB simple family (application)  
**GB 9827558 A 19981216**; EP 99125135 A 19991216