

Title (en)
GENERATION OF A SEED NUMBER

Title (de)
GENERATION EINER STARTNUMMER

Title (fr)
GENERATION D'UNE VALEUR DE DEPART

Publication
EP 1025739 A2 20000809 (EN)

Application
EP 98958929 A 19981111

Priority
• FI 9800879 W 19981111
• FI 974198 A 19971111

Abstract (en)
[origin: WO9925086A2] Method for computing the key to an encryption algorithm used to encrypt messages to be transmitted over a telecommunication network and for generating the seed number needed for the computation of the encryption key. According to the invention, the seed number used is a number computed from a random number generated by the authentication centre of the mobile communication network, and the encryption key is computed using the authentication algorithm from the seed number and a subscriber identification key.

IPC 1-7
H04Q 7/38; **H04L 9/30**

IPC 8 full level
H04L 9/08 (2006.01); **H04W 12/00** (2009.01)

CPC (source: EP)
H04W 12/033 (2021.01); **H04W 12/04** (2013.01); **H04L 63/062** (2013.01)

Citation (search report)
See references of WO 9925086A2

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)
WO 9925086 A2 19990520; **WO 9925086 A3 19991028**; AU 1489299 A 19990531; CA 2309666 A1 19990520; EP 1025739 A2 20000809; FI 105253 B 20000630; FI 974198 A0 19971111; FI 974198 A 19990512; JP 2001523064 A 20011120; NZ 504378 A 20020328

DOCDB simple family (application)
FI 9800879 W 19981111; AU 1489299 A 19981111; CA 2309666 A 19981111; EP 98958929 A 19981111; FI 974198 A 19971111; JP 2000519968 A 19981111; NZ 50437898 A 19981111