

Title (en)

ANTI VIBRATION DEVICE AND OPERATIONAL METHOD THEREFOR

Title (de)

VORRICHTUNG ZUR SCHWINGUNGSISOLIERUNG UND VERFAHREN ZU DEREN BETREIBEN

Title (fr)

DISPOSITIF ANTI-VIBRATIONS ET SON MODE D'UTILISATION

Publication

EP 1027546 A1 20000816 (DE)

Application

EP 98955443 A 19981013

Priority

- DE 19748665 A 19971104
- EP 9806484 W 19981013

Abstract (en)

[origin: DE19748665A1] The invention relates to an anti-vibration device, e.g. for the drive train of a motor vehicle, whereby an electric motor (4) is arranged in front of an anti-vibration device (6) in said drive train. The electric motor (4) is used to apply torque to the input shaft (2) or the output shaft (10) in such a way that the anti-vibration device has an enhanced or reduced elastic rigidity with respect to the torque induced by the other shaft (10 or 2).

IPC 1-7

F16F 15/18; F02D 45/00; G05D 29/00; B60L 11/00; H02K 7/00

IPC 8 full level

B60K 6/04 (2006.01); **B60K 6/485** (2007.10); **B60L 11/14** (2006.01); **B60L 50/16** (2019.01); **B60W 10/00** (2006.01); **B60W 10/18** (2006.01); **B60W 20/00** (2006.01); **F02D 29/00** (2006.01); **F16F 15/121** (2006.01); **F16F 15/133** (2006.01); **F16F 15/18** (2006.01); **H02K 7/00** (2006.01); **H02K 7/18** (2006.01); **B60K 6/02** (2006.01)

CPC (source: EP US)

B60K 6/48 (2013.01 - US); **B60K 6/485** (2013.01 - EP); **B60L 15/20** (2013.01 - EP); **B60L 50/16** (2019.01 - EP); **B60W 10/08** (2013.01 - EP); **B60W 20/00** (2013.01 - EP US); **B60W 30/20** (2013.01 - EP US); **F16F 15/121** (2013.01 - EP); **H02K 7/00** (2013.01 - EP); **H02K 7/006** (2013.01 - EP); **B60L 2270/145** (2013.01 - EP); **Y02T 10/62** (2013.01 - EP); **Y02T 10/64** (2013.01 - EP); **Y02T 10/7072** (2013.01 - EP); **Y02T 10/72** (2013.01 - EP)

Citation (search report)

See references of WO 9923396A1

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

DE 19748665 A1 19990506; EP 1027546 A1 20000816; JP 2001522023 A 20011113; WO 9923396 A1 19990514

DOCDB simple family (application)

DE 19748665 A 19971104; EP 9806484 W 19981013; EP 98955443 A 19981013; JP 2000519226 A 19981013