

Title (en)

FUEL INJECTION VALVE WITH INTEGRATED SPARK PLUG

Title (de)

BRENNSTOFFEINSPRITZVENTIL MIT INTEGRIERTER ZÜNDKERZE

Title (fr)

SOUPAPE D'INJECTION DE CARBURANT A BOUGIE INTEGREE

Publication

**EP 1032761 A1 20000906 (DE)**

Application

**EP 99922069 A 19990324**

Priority

- DE 9900861 W 19990324
- DE 19828848 A 19980627

Abstract (en)

[origin: DE19828848A1] A fuel injection valve has an integrated spark plug (1) for direct injection of fuel into a combustion chamber of an IC engine and to ignite the fuel injected into the combustion chamber. There is: a valve body (7) which forms a sealing seat together with a valve closing body (10) that can be operated by a valve needle (9); an insulating body (6) radially surrounding the valve body and the valve needle at least partly; and a housing body (2) radially surrounding the insulating body at least partly. At least one ignition electrode (15,16) is provided on the valve body and/or the housing body. The valve needle has a first metal guide section guided in the valve body, a second metal guide section guided in the insulating body and an insulating section located between the guide sections. The guide sections are connected in positive locking fashion with the insulating section.

IPC 1-7

**F02M 57/06**; **F02M 61/16**

IPC 8 full level

**F02M 57/06** (2006.01); **F02M 61/16** (2006.01); **F02M 61/18** (2006.01)

CPC (source: EP KR US)

**F02M 57/06** (2013.01 - EP KR US); **F02M 61/166** (2013.01 - EP US)

Citation (search report)

See references of WO 0000737A1

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

**DE 19828848 A1 19991230**; DE 59910651 D1 20041104; EP 1032761 A1 20000906; EP 1032761 B1 20040929; JP 2002519570 A 20020702; KR 20010022255 A 20010315; US 6340015 B1 20020122; WO 0000737 A1 20000106

DOCDB simple family (application)

**DE 19828848 A 19980627**; DE 59910651 T 19990324; DE 9900861 W 19990324; EP 99922069 A 19990324; JP 2000557073 A 19990324; KR 20007000828 A 20000125; US 48652800 A 20000525