

Title (en)

Method for dampening a litho offset plate and damping unit of a planographic printing press

Title (de)

Verfahren zum Einfeuchten einer Flachdruckform und Feuchtwerk einer Flachdruckmaschine

Title (fr)

Procédé pour mouiller une plaque offset et dispositif de mouillage d'une machine d'impression planographique

Publication

EP 1036658 A3 20010321 (DE)

Application

EP 00103319 A 20000218

Priority

DE 19911568 A 19990316

Abstract (en)

[origin: EP1036658A2] The method of damping a rotary flatbed printing form (1) involves a damping unit (7) belonging to a flatbed printing machine. A first damping applicator roller (4) is displaced by an adjustment in the form of an eccentric bearing from a position apart (4.1) to a position in contact with a connecting roller (3). The first damping roller (5) is driven by a rotary drive mechanism. A second damping roller (6) is solely in contact with the damp-application roller.

IPC 1-7

B41F 7/36; **B41F 7/26**; **B41F 7/40**

IPC 8 full level

B41F 7/02 (2006.01); **B41F 7/26** (2006.01); **B41F 7/36** (2006.01); **B41F 7/40** (2006.01); **B41F 31/14** (2006.01)

CPC (source: EP US)

B41F 7/26 (2013.01 - EP US); **B41F 7/36** (2013.01 - EP US)

Citation (search report)

- [XY] DE 29601067 U1 19960523 - ROLAND MAN DRUCKMASCH [DE]
- [Y] EP 0722829 A2 19960724 - ROLAND MAN DRUCKMASCH [DE]
- [XY] DE 3644982 A1 19881103 - MILLER JOHANNISBERG DRUCKMASCH [DE]
- [X] DE 3923636 A1 19910425 - KOTTERER GRAFOTEC [DE]
- [YD] DE 8716847 U1 19880218
- [A] DE 1808909 A1 19700625 - DOMOTOR JULIUS A
- [AD] DE 2902228 A1 19800724 - MASCHF AUGSBURG NUERNBERG AG
- [A] DE 3016366 A1 19801218 - POLYGRAPH LEIPZIG

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

EP 1036658 A2 20000920; **EP 1036658 A3 20010321**; **EP 1036658 B1 20031203**; AT E255499 T1 20031215; DE 19911568 A1 20000921; DE 50004609 D1 20040115; JP 2000280441 A 20001010; JP 4652517 B2 20110316; US 6460455 B1 20021008

DOCDB simple family (application)

EP 00103319 A 20000218; AT 00103319 T 20000218; DE 19911568 A 19990316; DE 50004609 T 20000218; JP 2000074220 A 20000316; US 52712200 A 20000316