

Title (en)

A RELIEF VALVE FOR A PRESSURE CONTAINER

Title (de)

DRUCKAUSGLEICHSVENTIL FÜR DRUCKBEHÄLTER

Title (fr)

SOUPEPE DE DECHARGE POUR RECIPIENT SOUS PRESSION

Publication

**EP 1037850 B1 20020410 (EN)**

Application

**EP 98943719 A 19980917**

Priority

- DK 9800402 W 19980917
- DK 107697 A 19970918

Abstract (en)

[origin: WO9914156A1] A valve (1) for a pressure container (4) serving for distributing a liquid, e.g. beer, under pressure of a gas, e.g. CO<sub>2</sub>. The valve has a valve seat (8) defining a valve axis (27), an elastomeric valve ring (2) placed coaxially to the valve seat with a preferably coaxially embedded reinforcing ring (17) of e.g. metal, a gas passage (7) which is formed between the valve-ring seat (8) and the valve ring (2) when opening the valve (1), and a liquid passage (10) which is formed at the same time through the central opening (13) of the valve ring. The rim (21) of the reinforcing ring (17) is divided into three sectors (24) of a circle with a larger diameter than the opening (25) of the valve seat (8). The circle sectors (24) are again divided by three curved recesses (26). When the pressure in the container (4) exceeds a preselected permissible overpressure, the elastomeric material in the recesses is deformed to such an extent that openings (29) are made for relieving the overpressure. Thus, the valve according to the invention can function as a very efficient relief valve.

IPC 1-7

**B67D 1/08**

IPC 8 full level

**B67D 1/07** (2006.01); **B67D 1/08** (2006.01); **B67D 1/12** (2006.01)

CPC (source: EP)

**B67D 1/0832** (2013.01); **B67D 1/0845** (2013.01); **B67D 1/125** (2013.01)

Cited by

EP3348517A4; US11111125B2; US10815114B2

Designated contracting state (EPC)

BE DE ES FR GB IT NL

DOCDB simple family (publication)

**WO 9914156 A1 19990325**; AU 9153598 A 19990405; CN 1103319 C 20030319; CN 1270569 A 20001018; DE 69804852 D1 20020516; EP 1037850 A1 20000927; EP 1037850 B1 20020410; JP 2001516684 A 20011002

DOCDB simple family (application)

**DK 9800402 W 19980917**; AU 9153598 A 19980917; CN 98809101 A 19980917; DE 69804852 T 19980917; EP 98943719 A 19980917; JP 2000511714 A 19980917