

Title (en)

GUIDING DEVICE FOR A RIGID AXLE IN A MOTOR VEHICLE

Title (de)

FÜHRUNGSVORRICHTUNG FÜR EINE KRAFTFAHRZEUGSTARRACHSE

Title (fr)

DISPOSITIF DE GUIDAGE POUR ESSIEU RIGIDE DE VEHICULE AUTOMOBILE

Publication

EP 1040021 A1 20001004 (DE)

Application

EP 98965195 A 19981128

Priority

- DE 19756059 A 19971217
- EP 9807694 W 19981128

Abstract (en)

[origin: DE19756059A1] The invention relates to a guiding device for a rigid axle in a motor vehicle, comprising at least three longitudinal struts (11, 12, 42, 43), whereby two longitudinal wheel-guiding struts (11, 12) which are located on the same plane (10) and structurally coupled between coupling points (33, 34) when they guide the rigid axle by means of a multi-axle joint (31, 32). The longitudinal wheel-guiding struts are coupled between the coupling points by means of a coupling joint (35). The inventive guiding device enables powerful longitudinal and transversal forces to be transmitted to the body of the vehicle, providing good off-road mobility and a compact design.

IPC 1-7

B60G 9/00; B60G 21/05; B60G 7/00

IPC 8 full level

B60G 9/04 (2006.01); **B60G 7/00** (2006.01); **B60G 7/02** (2006.01); **B60G 9/00** (2006.01); **B60G 21/05** (2006.01); **B60G 21/055** (2006.01)

CPC (source: EP)

B60G 7/005 (2013.01); **B60G 7/02** (2013.01); **B60G 9/00** (2013.01); **B60G 21/05** (2013.01); **B60G 2200/314** (2013.01); **B60G 2200/34** (2013.01); **B60G 2202/112** (2013.01); **B60G 2204/143** (2013.01); **B60G 2206/121** (2013.01); **B60G 2206/20** (2013.01)

Citation (search report)

See references of WO 9930914A1

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

DE 19756059 A1 19990701; **DE 19756059 C2 20030327**; EP 1040021 A1 20001004; JP 2002508272 A 20020319; WO 9930914 A1 19990624

DOCDB simple family (application)

DE 19756059 A 19971217; EP 9807694 W 19981128; EP 98965195 A 19981128; JP 2000538870 A 19981128