

Title (en)
Double-side recording medium

Title (de)
Beidseitiges Aufzeichnungsmedium

Title (fr)
Support d'enregistrement double face

Publication
EP 1040933 B1 20040303 (EN)

Application
EP 00302517 A 20000328

Priority
JP 8617099 A 19990329

Abstract (en)
[origin: EP1040933A1] A double-side recording medium comprises a base material for paper mainly comprising pulp, one side of which has an ink jet recording ability and the other side of which has a heat-sensitive recording ability, wherein the time required for the penetration of 0.5 ml of a 10% polyethylene glycol aqueous solution dropped, using a micro-syringe, on the side, to which the ink jet recording ability is imparted into the side to which the heat-sensitive recording ability is imparted, is adjusted to not less than 30 seconds. The recording medium permits high-speed double-side recording and at least one side of the recording medium is favorable for color ink jet recording, while the other side has a heat-sensitive recording ability. The recording medium is one that permits both ink jet recording and heat-sensitive recording. The medium never causes any bleeding on the ink jet recording side, any graying of the heat-sensitive recording layer due to the action of the solvent present in the ink jet ink and never undergoes any discoloration of the printed matter on the heat-sensitive recording layer.

IPC 1-7
B41M 3/00; **B41M 5/00**; **B41M 5/30**

IPC 8 full level
B41M 5/28 (2006.01); **B41M 3/00** (2006.01); **B41M 5/00** (2006.01); **B41M 5/30** (2006.01); **B41M 5/42** (2006.01); **B41M 5/50** (2006.01); **B41M 5/52** (2006.01); **B41M 5/40** (2006.01); **B41M 5/44** (2006.01)

CPC (source: EP)
B41M 5/30 (2013.01); **B41M 5/52** (2013.01); **B41M 5/42** (2013.01); **B41M 5/44** (2013.01); **B41M 5/443** (2013.01)

Cited by
EP1543984A3; EP1693222A1; EP1839892A4; EP1844947A4; US7618922B2; US9682587B2

Designated contracting state (EPC)
DE FR GB

DOCDB simple family (publication)
EP 1040933 A1 20001004; **EP 1040933 B1 20040303**; DE 60008610 D1 20040408; DE 60008610 T2 20040805; JP 2000272235 A 20001003; JP 4038929 B2 20080130

DOCDB simple family (application)
EP 00302517 A 20000328; DE 60008610 T 20000328; JP 8617099 A 19990329