

Title (en)
ELECTROMAGNETIC INJECTION VALVE

Title (de)
ELEKTROMAGNETISCHES EINSPRITZVENTIL

Title (fr)
INJECTEUR ELECTROMAGNETIQUE

Publication
EP 1044323 A1 20001018 (DE)

Application
EP 99953630 A 19990828

Priority
• DE 9902699 W 19990828
• DE 19839863 A 19980902

Abstract (en)
[origin: DE19839863C1] The invention relates to an electromagnetic injection valve (1) comprising two counterwound magnet coils (SP1, SP2) which have identical characteristic quantities and which are placed on the same magnetic circuit so that the force effects of the magnet coils (SP1, SP2) are nullified when they are flown through by the same excitation current. By virtue of the double coil (SP1, SP2) having a canceling effect, the actual energizing process of the valve (1), i.e. the opening of the same, is transformed in one of both coils in a deenergizing process. The rapid current decay is now determined by dimensioning the extinction voltage (UZD2). As a result, it is possible to obtain rapid force build-up times without increasing the supply voltage (U_{batt}). The valve can be controlled by using a conventional switching output stage or by using a current-controlled switching output stage. It is also possible to shorten the closing process by reversing the differential current (I_d) during deenergizing.

IPC 1-7
F02D 41/20; **H01F 7/18**

IPC 8 full level
F02M 51/06 (2006.01); **F02D 41/20** (2006.01); **F02M 51/08** (2006.01); **F16K 31/06** (2006.01); **H01F 7/18** (2006.01)

CPC (source: EP US)
F02D 41/20 (2013.01 - EP US); **F02D 2041/2041** (2013.01 - EP US); **F02D 2041/2044** (2013.01 - EP US); **F02D 2041/2079** (2013.01 - EP US)

Citation (search report)
See references of WO 0014395A1

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)
DE 19839863 C1 19991028; DE 59907542 D1 20031204; EP 1044323 A1 20001018; EP 1044323 B1 20031029; JP 2002524683 A 20020806; US 6657846 B1 20031202; WO 0014395 A1 20000316

DOCDB simple family (application)
DE 19839863 A 19980902; DE 59907542 T 19990828; DE 9902699 W 19990828; EP 99953630 A 19990828; JP 2000569114 A 19990828; US 53067400 A 20000726